

System types 4A and higher will require a certified system operator. A contract shall be executed between the system owner and the operator, and a copy submitted to the health department, prior to the issuance of the operation permit. It shall be a condition of the operation permit that subsequent owners of the system execute such a contract. It shall be the responsibility of the owner to inform potential subsequent owners of the system type, operational needs and contract requirements.

CRAVEN COUNTY HEALTH DEPARTMENT

P.O. DRAWER 12

NC 28581

(252) 636-4936 FAX (252) 636-1474
 "Working Together for Your Health"

Construction Authorization

Application Number: 07-00001847 Date: 7/31/07

Property Address: 127 SPINNAKER LN
 Parcel Id: 5-012-1-002
 Tenant nbr, name: C/A
 Application type description: EH - SEPTIC TANK APPLICATION - NEW

Subdivision Name: MOORINGS SEC 1 THE
 Property owner: GARANCE, GEORGE & PAULETTE
 Owner address: 138 N HARBOR WATCH DR
 STATESVILLE NC 286772483

Structure Information: 0004000
 WATER SUPPLY
 PUBLIC

MAXIMUM DESIGN FLOW (GPD): 360
 CA SYSTEM TYPE: 3G
 CA SYSTEM AREA (SQFT): 450
 TOTAL TRENCH LENGTH (FT): 150
 TRENCH-BOTTOM DEPTH (IN): 5
 NUMBER OF DRAIN LINES: 30
 LENGTH OF EACH DRAIN LINE: 4A
 CA-REPAIR AREA TYPE: SEE DRAWING
 CA REPAIR AREA (SQFT): 1000
 CA EXPIRATION DATE: 7/31/12
 NAME OF SUBDIVISION: MOORINGS
 LOT#: 2

CONSTRUCTION AUTHORIZATION


Additional desc: 000 000 3 BDR HOUSE
 Issue Date: 7/31/07
 EXPIRATION DATE: 7/31/12

SPECIAL NOTES AND COMMENTS
 SEE REVERSE AND ATTACHED SHEET(S) FOR
 ADDITIONAL INFORMATION

5-3'x30' alternative trench drain lines
 installed 9" org. Set trench bottoms
 based on benchmark spike at base of
 Spinnaker Lane mailbox. Trench #1 at
 5.3.5" below benchmark. Trench #2 at
 5.3.5" below benchmark. Trench #3 at
 4.6.5" below benchmark. Trench #4 at
 4.6.5" below benchmark. Trench #5 at
 4.6.5" below benchmark. Maintain 5' min
 between any part of house foundation
 and septic system / repair areas. Horizontal
 locate all water lines 10' min. from
 septic system / repair areas. Trench
 material must be approved for 25% Red.

each drain lines
 trench bottoms
 line at base of 126
 Trench #1 at

THIS PERMIT IS SUBJECT TO REVOCATION IF THE SITE PLANS,
PLAT, SITE CONDITIONS, OR INTENDED USE CHANGE.
CONSTRUCTION AUTHORIZATION VALID FOR THE PERIOD OF VALIDITY
OF THE IMPROVEMENT PERMIT NOT TO EXCEED 5 YEARS.
AUTHORIZED AGENT: *Shirley Kent, AS*



**Construction
Authorization**

NOTE: This permit does not exempt you from any rule, regulation or ordinance of any federal, state, and/or local agency nor any restrictive covenant. You must comply with all restrictive covenants, rules, regulations or ordinance prior to building, locating or relocating a residence, business, or place of public assembly.

