

Plot Plan

Owner: Almeta Kun
 Address: 3803 Huntcliff Drive
 Location: Lot 50

ADDITIONAL PERMIT CONDITIONS:

- 1) Do not park or drive on any part of system or repair area.
- 2) Nitrification trench aggregate shall be covered with straw or other approved materials prior to final cover/backfilling.
- 3) Do not install system under wet conditions.
- 4) Tank Location shall be altered to accommodate system/home/etc..
- 5) Rake sidewalls/trench bottoms as needed.
- 6) ≥ 6 " soil cover (GrpII) over entire system and 5' beyond
- 7) In order to achieve "Gravity Flow," plumbing shall accommodate the septic system, otherwise; a Pump System shall be required!
- 8) Water lines shall be located $\geq 10'$ from system or repair area.
- 9) Septic systems shall be $\geq 10'$ from any proposed or existing property lines, unless otherwise stated.
- 10) House location/foundations shall have a 5' minimum setback from septic system/repair area.
- 11) Adhere to minimum set back requirements/requests as stated under GS 130A-ART 11 of NC Laws and Rules for Sewage Treatment and Disposal Systems..
- 12) Any Questions/changes on system/location, call LCHD prior to installation (526-4248, LCHD Env. Health).

* May require pump to accommodate house location + repair area

