



Construction Authorization

Carteret County Health Department
 Environmental Health Division
 3820 Bridges St. Suite A
 Morehead City, NC 28557
 Phone: 252-728-8499 Fax: 252-222-7753

For Office Use Only

*CDP File Number: 280595 - 3
 County ID Number: 631501453521000
 Evaluated For: REPAIR

cl

PERMIT VALID UNTIL: 11/16/2027
 Open Pump System Sheet

Applicant: Bogue Sound Septic & Grading
 Address: 178 W Hilltop Dr
 City: Newport
 State/Zip: NC 28570
 Phone #: wrk: (252) 393-6426 cell :(252) 725-7200

Property Owner: Emory Tibbs
 Address: 141 Salty Shores Point Dr
 City: Newport
 State/Zip: NC. 28570
 Phone #: cell :(580) 874-0830

Property Location & Site Information

Address/Road #: 147 Salty Shores Point Dr Subdivision: Junius Bell Phase: NEW Lot: 1
Newport, NC 28570 **Directions:**

Structure: SINGLE FAMILY
 # of Bedrooms: 3
 # of People: 6
 *Water Supply: PUBLIC

System Specifications

*Site Classification: PS Shallow Placement Minimum Trench Depth: 6 Inches
 Design Flow: 480 Maximum Trench Depth: 12 Inches
 Soil Application Rate: 0.8000 Minimum Soil Cover: 6 Inches
 *System Classification/Description: TYPE II C. CONV. SYSTEM WITH SHALLOW PLACEMENT Maximum Soil Cover: _____ Inches
 *Proposed System: BED *Distribution Type: GRAVITY - PARALLEL (eq. d-box)
 Nitrification Field: 1050 Sq. ft. Septic Tank: 1,000 Gallons
 No. Drain Lines: 7 Pump Required: Yes No May Be Required
 Total Trench Length: 50 ft. Inches O.C. Pump Tank: 1,000 Gallons
 Trench Spacing: 3 Feet O.C. Grease Trap: _____ Gallons
 Trench Width: 21 Inches
 Aggregate Depth: 12 inches Feet Septic Tank Installer Grade Level Required: I II III IV

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements.

***Permit Conditions:**
 Pre-construction conference may be required.
 Maintain min. 50ft from mean high water mark, min. 50ft from all wells, min.10ft from property lines and water lines, and 5ft from building foundations.
 A pump system shall be required if gravity flow cannot be achieved.
 Abandon existing septic and pump tanks.

The Authorization for Wastewater System Construction shall be valid for a period equal to the period of validity of the Improvement Permit and may be issued at the same time the Improvement Permit issued (NCGS 130A-336(b)). If the installation has not been completed during the period of validity of the Construction Permit, the information submitted in the application for a permit or Construction Authorization shall become invalid, and may be suspended or revoked (.1937(g)). The person owning or controlling the system shall be responsible for assuring compliance with the laws, rules, and permit conditions regarding system location, installation, operation, maintenance, monitoring, reporting

Authorized State Agent: Harris, Julie *Julie Harris* Date of Issue: 11/16/2022

Hand Drawing Import Drawing ****Site Plan/Drawing attached.****
 Total Time : (HH:MM) _____



Site Plan

- Construction Authorization
- Improvement Permit
- Well Permit
- Existing System Connection Authorization

CDP File Number: 280595-3
 County File Number: 6315.01.45.3521

Scale 1 " to 50 '

Address: 147 Salty Shores Point Drive, Newport
Junius Bell Lot 1

CONDITIONS:

- Pre-Construction Conference may be required.
- Septic system shall be installed as to maintain the following setbacks: minimum fifty (50) feet from mean high water mark, minimum fifty (50) feet from all wells, minimum ten (10) feet from all property lines and water lines, and five (5) feet from all building foundations.
- Dig out to 18 inches, removing the existing drainfield, and back fill with clean fill sand to the existing ground surface.
- Existing septic and pump tank are to be abandoned (pumped, crushed and filled).
- If gravity flow cannot be achieved, a pump system shall be required
- Do not install in wet conditions.
- Do not park, pave, or drive over septic system or repair area.

