


Improvement Permit
County of Dare
PO Box 669
Manteo NC 27954



S3-22810

Phone: (252) 475-5080

DARE COUNTY DEPARTMENT OF PUBLIC HEALTH

An Improvement Permit (IP) issued pursuant to this application is not affected by change in ownership provided the site and wastewater characteristics remain unchanged. An IP issued with a plat is valid without expiration. An IP issued with a site plan is valid for 60 months from the date of issuance.

Parcel: 008570001	LOT: 5 BLK: SEC:	Permit: S3-22810
Location:	S CROATAN HWY – NAGS HEAD	
Subdivision:	R BRUCE ETHERIDGE - DB 13-597	
Owner Name:	TROY BRINKLEY INC	Permit Date: 12/28/2023
Owner Address:	2212 LASKIN RD	Permit Type: WW RESIDENTIAL NEW
	VIRGINIA BEACH, VA 23454	
	Phone: 757-412-5214 email: troy@imperacl.com	

Number of bedrooms:	5	Gallons per day:	600
Occupancy:	10	Tank type:	PRECAST
Water Supply:	PUBLIC	Tank size:	1500
Nitrific field size sqft:	168	Pump tank size:	1500
Number of lines:	3	Grease trap size:	0
Trench length (feet):	56	Septic type:	Type II-C - Con. Shallow place
Trench width (inches):	36	Septic code:	RESIDENTIAL
Trench depth (inches):	12	Distribution:	DISTRIBUTION BOX
Gravel depth (inches):	12	Distance from building:	5
Rock Under (inches):	6	Distance from water supply:	10
Rock Above (inches):	2	Distance from property line:	10
Bed system dimensions:	N/A	Distance from open water:	50

Design Specifications:

-- SET 1500 GALLON SEPTIC TANK AND 1500 GALLON PUMP TANK AS SHOWN. SET 2 OFFSET D BOXES AND INSTALL 3 56' LINES 9' ON CENTER AS SHOWN. TRENCH BOTTOM CANNOT BE DEEPER THAN 12" BELOW GRADE. MUST IMPORT 6-8" OF COVER MATERIAL. PUMP TO GRAVITY SYSTEM. MUST HAVE NEMA 4X CONTROL PANEL WITH SEPARATE ALARM AND PUMP CIRCUITS. 100% CONVENTIONAL REPAIR AREA SHOWN. ALL WATER LINES MUST BE AT LEAST 10' FROM SYSTEM.

Note: This Permit is subject to all provisions of the 15A NCAC .1900 rules governing the installation of septic systems. The person making the installation must notify the Health Department when the septic tank system is ready for inspection. If any septic tank system or part thereof is covered before being inspected and approved, it shall be uncovered at the direction of the Health Officer at the expense of the one responsible for making the installation.
Issued 12/28/2023
Permit Fee: \$ 500.00

Environmental Health Specialist

DocuSigned by:

Applicant Signature: TROY BRINKLEY INC

County of Dare
PO Box 669
Manteo NC 27954



S8-22811

Phone: (252) 475-5080

DARE COUNTY DEPARTMENT OF PUBLIC HEALTH
Authorization for Wastewater System Construction

Parcel: 008570001

PIN: 989108899906

Permit: S8-22811

Owner Name: TROY BRINKLEY INC
Owner Address: 2212 LASKIN RD
VIRGINIA BEACH, VA 23454
Phone: 757-412-5214 email: troy@imperalc.com

Permit Date: 12/28/2023
757-412-5214

Location: S CROATAN HWY – NAGS HEAD
Subdivision: R BRUCE ETHERIDGE - DB 13-597 LOT: 5 BLK: SEC:

1. Issued by _____ JDC

2. Any alteration in soil conditions (including location of structures and appurtenances) or modification in use, design wastewater flow or wastewater characteristics as specified in the associated improvement permit and application, may subject this authorization and associated permit(s) to revocation.

3. Comments:
SYSTEM FOR 5 BEDROOMS SLEEPING 10 ONLY.

This CA is valid as long as the IP remains valid (SL 2014-120).

Disclaimer: This permit does not relieve you of the responsibility to obtain any other necessary Federal, State or Local permit(s).

Owner Certification

DocuSigned by:

D943661DE36349F...

1/23/2024

Applicant or Owner Signature
Applicant: TROY BRINKLEY INC

Date