



MOORE COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SECTION
 P.O. BOX 279, CARTHAGE, N.C. 28327
 PHONE: 910-947-6283 FAX: 910-947-5127

IMPROVEMENT PERMIT

Receipt # 22241 LRK# 00046368/00046850
 Owner ~~Alan Soto Prop~~ / Richard Knight, Tiara Properties LLC
 Address 310 Wheeler Dr. Pinehurst, NC 28374 Phone No. _____
 Exact Directions to Property: 61 N. Shamrock Dr. Foxfire NC.

Lot Area: _____ Maximum Long-Term Soil Application Rate: .6
 Daily Design Wastewater Flow Rate (From Application): 450 GPD / 4 bedrooms 360 GPD / 3 bedrooms
 Septic Tank Capacity: 1000 (Gallons) Type Distribution Device: D-Box 9/26/18
 Maximum Trench Depth (From Original Grade): 18" max Pump Tank Pump Tank Capacity 1000
 Dimensions of Nitrification Lines: 1 @ 200' x 3' 1 @ 150' x 3' 25% reduction
 System Type (Initial Installation): 25% reduction
 Repair System Type (If Required): Not required but partial available. 25% reduction
 Distance to Water Supplies: Wells, Springs, Etc. 50' Lakes, Streams, Etc. 50'
 Water Lines 10' Interceptor/Storm Drains 10/15/25
 Easements Required: Yes _____ No Tri-Party Agreement? Yes _____ No

NOTE: Should errors or omissions be noted in the drawings or specifications; or if there is doubt as to their meaning, this office should be contacted at once for an interpretation or clarification. All systems are subject to "Laws and Rules for Sewage Treatment and Disposal Systems, North Carolina General Statutes," Article 11 of Chapter 130A and North Carolina Administrative Code (T15A, 18A, 1901-1968).

System Layout (use applicant's plat or attach to permit) Scale 1 inch = _____ feet North

- * see attached for layout.
- * system has off site easement.
- * check all on contour maintain all setbacks.
- * Do Not remove or disturb soils in system area.
- * pump, high level alarm + electrical connections required.
- * An addition pump fee will be required before AC can be issued.
- * if lots are to be recombined new ~~site~~ site plan must be submitted before Authorization to Construct is issued.

Comments: _____

Issued by: Jeanne R Woot REITS # Attachments: 2
 Date: 8-24-18

This Permit is Valid unless the Site, Site Plan, Plat or Intended Use of the Property Changes for a Period of Sixty (60) Months.

Authorization to Construct Wastewater System

Issued by: Jeanne R Woot REITS Date: 10-5-18

This authorization is necessary prior to obtaining a Building or Electrical Permit and Expires Sixty (60) Months From the Date Issued
 or Immediately if the Site, Site Plans or Intended Use of the Property Changes. Attachments: _____
 Hard Copy (Office)



Department of Health
County of Moore
705 Pinehurst Avenue • P.O. Box 279
Carthage, NC 28327-0279

Owner: New Colony Prop/ Richard Knight.

Page 2 of 2

Addendum to Receipt # 22241

LRR 00046368
00046880

PLOT PLAN

