



FRONT ELEVATION
SCALE 1/4" = 1'-0"

ATTIC VENTILATION:
THE NET FREE VENTILATING AREA SHALL BE NOT LESS THAN 1% OF THE AREA OF THE ROOF VENTILATED EXCEPT IN THE CASE OF THE ROOF VENTILATED AT LEAST 10% PERCENT OF THE REQUIRED VENTILATING AREA. THE VENTILATING AREA SHALL BE THE UPPER PORTION OF THE SPACE TO BE VENTILATED AT LEAST 2 FEET ABOVE EAVE OR CORNER VENT TO BE PROVIDED BY EAVE OR CORNER VENT.
GROSS ATTIC AREA TO BE VENTILATED 2280 SQ.FT.
2280/80 = 28.5 SQ.FT. NET FREE AREA


ENERGY COMPLIANCE
ZONE 3A - MAX GLAZING U-FACTOR .35
FLOORS R6
ZONE 3A - MAX CEILING R-VALUE R5
ZONE 3A - MAX GLAZING U-FACTOR .35
R-VALUE = CEILING R5 WALLS R5
FLOORS R6



REAR ELEVATION
SCALE 1/8" = 1'-0"



LEFT ELEVATION
SCALE 1/8" = 1'-0"



RIGHT ELEVATION
SCALE 1/8" = 1'-0"