



ALL FASCIA TO BE 2X6

# \*\*Reverse Plan\*\*



**-FRONT ELEVATION-**

1/8" = 1'-0"



**-REAR ELEVATION-**

1/8" = 1'-0"

|                                              |
|----------------------------------------------|
| AUTHORED DATE: X                             |
| CLIENT NAME - PROJECT NUMBER:<br>XXXXXXXXXX: |
| CONTRACT DRAWING DATE:<br>X/X/XX             |
| REVISION DRAWING DATE:<br>X/X/XX             |
| CONSTRUCTION DRAWING DATE:<br>X/X/XX         |

PLAN NAME:  
**WINSTON**  
- A -

- FRONT & REAR ELEV.  
1/8" = 1'-0"

**-GENERAL NOTES -**

- 1.) EXTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 2.) INTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 3.) PLATE HEIGHT 9'-0" FIRST FLOOR AND 8'-0" SECOND FLOOR
- 4.) HEADER HEIGHT FOR WINDOWS TO BE 6'-11" U.N.O. LOCATION, SIZE AND MATERIAL TO BE DETERMINED BY THE FRAMER, TRUSS COMPANY, BUILDER AND OR A LICENSED ENGINEER
- 5.) ANGLES WILL BE DRAWN AT 90 DEGREES AND 45 DEGREES U.N.O.
- 6.) VENTILATION AND VENTILATION TYPE WILL BE CALCULATED AND DETERMINED BY THE ROOFER, BUILDER OR LICENSED ENGINEER
- 7.) ENGINEER, TRUSS COMPANY, FRAMER OR BUILDER WILL DETERMINE HEADERS, TRUSS DESIGN, BEAMS, LVLs, GIRDERS AND LUMBER SPACING.
- 8.) CONCRETE SLAB TYPE AND MATERIAL TO BE VERIFIED AND DETERMINED BY LICENSED ENGINEER
- 9.) ALL NATIONAL, STATE AND LOCAL CODES MUST BE COMPLIED WITH AND VERIFIED BY THE BUILDER (CODES WILL TAKE PRECEDENCE OVER OVER ALL DRAWINGS)
- 10.) MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SIZING, DESIGN AND LOCATIONS TO BE VERIFIED AND DESIGNED BY TRADE CONTRACTOR, BUILDER AND OR LICENSED ENGINEER
- 11.) ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER. BUILDER ASSUMES

**-AREA LEGEND -**  
(ALL AREAS TO FRAMING)


|                                  |      |
|----------------------------------|------|
| FIRST FLOOR AREA                 | 991  |
| SECOND FLOOR AREA                | 1106 |
| TOTAL CONDITIONED AREA           | 2097 |
| GARAGE AREA                      | 408  |
| FRONT PORCH AREA                 | 38   |
| COVERED REAR PATIO AREA          | N/A  |
| TOTAL UNDER ROOF AREA            | 2543 |
| TOTAL UNDER ROOF W/COV'D PATIO/A |      |




COPYRIGHT 2022  
HORIZONS EAST BUILDING CO.  
503 NEW BRIDGE ST.  
JACKSONVILLE, NC. 28540

ALL FASCIA TO BE 2X6

# \*\*Reverse Plan\*\*



**-RIGHT ELEVATION-**  
1/8" = 1'-0"



**-LEFT ELEVATION-**  
1/8" = 1'-0"

|                                              |
|----------------------------------------------|
| AUTHORED DATE: X                             |
| CLIENT NAME - PROJECT NUMBER:<br>XXXXXXXXXX: |
| CONTRACT DRAWING DATE:<br>X/X/XX             |
| REVISION DRAWING DATE:<br>X/X/XX             |
| CONSTRUCTION DRAWING DATE:<br>X/X/XX         |

PLAN NAME:  
**WINSTON**  
- A -

- RIGHT & LEFT ELEV.  
1/8" = 1'-0"

**-GENERAL NOTES -**

- 1.) EXTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 2.) INTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 3.) PLATE HEIGHT 9'-0" FIRST FLOOR AND 8'-0" SECOND FLOOR
- 4.) HEADER HEIGHT FOR WINDOWS TO BE 6'-11" U.N.O. LOCATION, SIZE AND MATERIAL TO BE DETERMINED BY THE FRAMER, TRUSS COMPANY, BUILDER AND OR A LICENSED ENGINEER
- 5.) ANGLES WILL BE DRAWN AT 90 DEGREES AND 45 DEGREES U.N.O.
- 6.) VENTILATION AND VENTILATION TYPE WILL BE CALCULATED AND DETERMINED BY THE ROOFER, BUILDER OR LICENSED ENGINEER
- 7.) ENGINEER, TRUSS COMPANY, FRAMER OR BUILDER WILL DETERMINE HEADSIZES, TRUSS DESIGN, BEAMS, LVLs, GIRDERS AND LUMBER SPACING.
- 8.) CONCRETE SLAB TYPE AND MATERIALS TO BE VERIFIED AND DETERMINED BY LICENSED ENGINEER
- 9.) ALL NATIONAL, STATE AND LOCAL CODES MUST BE COMPLIED WITH AND VERIFIED BY THE BUILDER (CODES WILL TAKE PRECEDENCE OVER OVER ALL DRAWINGS)
- 10.) MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SIZING, DESIGN AND LOCATIONS TO BE VERIFIED AND DESIGNED BY TRADE CONTRACTOR, BUILDER AND OR LICENSED ENGINEER
- 11.) ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER. BUILDER ASSUMES

**-AREA LEGEND -**  
(ALL AREAS TO FRAMING)

|                                    |      |
|------------------------------------|------|
| FIRST FLOOR AREA                   | 991  |
| SECOND FLOOR AREA                  | 1106 |
| TOTAL CONDITIONED AREA             | 2097 |
| GARAGE AREA                        | 408  |
| FRONT PORCH AREA                   | 38   |
| COVERED REAR PATIO AREA            | N/A  |
| TOTAL UNDER ROOF AREA              | 2543 |
| TOTAL UNDER ROOF W/COV'D PATIO/N/A |      |




COPYRIGHT 2022  
HORIZONS EAST BUILDING CO.  
503 NEW BRIDGE ST.  
JACKSONVILLE, NC. 28540



ALL DIMENSIONS TO PLUMBING FIXTURES ARE DIMENSIONED TO CENTER OF PLUMBING WALL, WHILE ALSO CENTERED ON FIXTURE. ALL VERTICAL DIMENSIONS TO PLUMBING FIXTURES TO START FROM THE REAR EDGE OF HOUSE SLAB.

# \*\*Reverse Plan\*\*



- PLUMBING PLAN -  
1/8" = 1'-0"

|                                              |
|----------------------------------------------|
| AUTHORED DATE: X                             |
| CLIENT NAME - PROJECT NUMBER:<br>XXXXXXXXXX: |
| CONTRACT DRAWING DATE:<br>X/X/XX             |
| REVISION DRAWING DATE:<br>X/X/XX             |
| CONSTRUCTION DRAWING DATE:<br>X/X/XX         |

PLAN NAME:  
**WINSTON**  
- A -

- PLUMBING PLAN -  
1/8" = 1'-0"

-GENERAL NOTES -

- 1.) EXTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 2.) INTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 3.) PLATE HEIGHT 9'-0" FIRST FLOOR AND 8'-0" SECOND FLOOR
- 4.) HEADER HEIGHT FOR WINDOWS TO BE 6'-11" U.N.O. LOCATION, SIZE AND MATERIAL TO BE DETERMINED BY THE FRAMER, TRUSS COMPANY, BUILDER AND OR A LICENSED ENGINEER
- 5.) ANGLES WILL BE DRAWN AT 90 DEGREES AND 45 DEGREES U.N.O.
- 6.) VENTILATION AND VENTILATION TYPE WILL BE CALCULATED AND DETERMINED BY THE ROOFER, BUILDER OR LICENSED ENGINEER
- 7.) ENGINEER, TRUSS COMPANY, FRAMER OR BUILDER WILL DETERMINE HEADERS, TRUSS DESIGN, BEAMS, LVLs, GIRDERS AND LUMBER SPACING.
- 8.) CONCRETE SLAB TYPE AND MATERIALS TO BE VERIFIED AND DETERMINED BY LICENSED ENGINEER
- 9.) ALL NATIONAL, STATE AND LOCAL CODES MUST BE COMPLIED WITH AND VERIFIED BY THE BUILDER (CODES WILL TAKE PRECEDENCE OVER OVER ALL DRAWINGS)
- 10.) MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SIZING, DESIGN AND LOCATIONS TO BE VERIFIED AND DESIGNED BY TRADE CONTRACTOR, BUILDER AND OR LICENSED ENGINEER
- 11.) ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER. BUILDER ASSUMES


-AREA LEGEND -  
(ALL AREAS TO FRAMING)

|                                |      |
|--------------------------------|------|
| FIRST FLOOR AREA               | 991  |
| SECOND FLOOR AREA              | 1106 |
| TOTAL CONDITIONED AREA         | 2097 |
| GARAGE AREA                    | 408  |
| FRONT PORCH AREA               | 38   |
| COVERED REAR PATIO AREA        | N/A  |
| TOTAL UNDER ROOF AREA          | 2543 |
| TOTAL UNDER ROOF W/COV'D PATIO | N/A  |



COPYRIGHT 2022  
HORIZONS EAST BUILDING CO.  
503 NEW BRIDGE ST.  
JACKSONVILLE, NC. 28540

# \*\*Reverse Plan\*\*



-FIRST FLOOR PLAN-  
1/8" = 1'-0"

|                                              |
|----------------------------------------------|
| AUTHORED DATE: X                             |
| CLIENT NAME - PROJECT NUMBER:<br>XXXXXXXXXX: |
| CONTRACT DRAWING DATE:<br>X/X/XX             |
| REVISION DRAWING DATE:<br>X/X/XX             |
| CONSTRUCTION DRAWING DATE:<br>X/X/XX         |

PLAN NAME:  
**WINSTON**  
- A -

-FIRST FLOOR PLAN -  
1/8" = 1'-0"

-GENERAL NOTES -

- 1.) EXTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 2.) INTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 3.) PLATE HEIGHT 9'-0" FIRST FLOOR AND 8'-0" SECOND FLOOR
- 4.) HEADER HEIGHT FOR WINDOWS TO BE 6'-11" U.N.O. LOCATION, SIZE AND MATERIAL TO BE DETERMINED BY THE FRAMER, TRUSS COMPANY, BUILDER AND OR A LICENSED ENGINEER
- 5.) ANGLES WILL BE DRAWN AT 90 DEGREES AND 45 DEGREES U.N.O.
- 6.) VENTILATION AND VENTILATION TYPE WILL BE CALCULATED AND DETERMINED BY THE ROOFER, BUILDER OR LICENSED ENGINEER
- 7.) ENGINEER, TRUSS COMPANY, FRAMER OR BUILDER WILL DETERMINE HEADSIZES, TRUSS DESIGN, BEAMS, LVLs, GIRDERS AND LUMBER SPACING.
- 8.) CONCRETE SLAB TYPE AND MATERIAL TO BE VERIFIED AND DETERMINED BY LICENSED ENGINEER
- 9.) ALL NATIONAL, STATE AND LOCAL CODES MUST BE COMPLIED WITH AND VERIFIED BY THE BUILDER (CODES WILL TAKE PRECEDENCE OVER OVER ALL DRAWINGS)
- 10.) MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SIZING, DESIGN AND LOCATIONS TO BE VERIFIED AND DESIGNED BY TRADE CONTRACTOR, BUILDER AND OR LICENSED ENGINEER
- 11.) ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER. BUILDER ASSUMES


-AREA LEGEND -  
(ALL AREAS TO FRAMING)

|                                    |      |
|------------------------------------|------|
| FIRST FLOOR AREA                   | 991  |
| SECOND FLOOR AREA                  | 1106 |
| TOTAL CONDITIONED AREA             | 2097 |
| GARAGE AREA                        | 408  |
| FRONT PORCH AREA                   | 38   |
| COVERED REAR PATIO AREA            | N/A  |
| TOTAL UNDER ROOF AREA              | 2543 |
| TOTAL UNDER ROOF W/COV'D PATIO/N/A |      |



COPYRIGHT 2022  
HORIZONS EAST BUILDING CO.  
503 NEW BRIDGE ST.  
JACKSONVILLE, NC. 28540

# \*\*Reverse Plan\*\*



-SECOND FLOOR PLAN  
1/8" = 1'-0"

|                                              |
|----------------------------------------------|
| AUTHORED DATE: X                             |
| CLIENT NAME - PROJECT NUMBER:<br>XXXXXXXXXX: |
| CONTRACT DRAWING DATE:<br>X/X/XX             |
| REVISION DRAWING DATE:<br>X/X/XX             |
| CONSTRUCTION DRAWING DATE:<br>X/X/XX         |

PLAN NAME:  
**WINSTON**  
- A -

-SECOND FLOOR PLAN -  
1/8" = 1'-0"

-GENERAL NOTES -

- 1.) EXTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 2.) INTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 3.) PLATE HEIGHT 9'-0" FIRST FLOOR AND 8'-0" SECOND FLOOR
- 4.) HEADER HEIGHT FOR WINDOWS TO BE 6'-11" U.N.O. LOCATION, SIZE AND MATERIAL TO BE DETERMINED BY THE FRAMER, TRUSS COMPANY, BUILDER AND OR A LICENSED ENGINEER
- 5.) ANGLES WILL BE DRAWN AT 90 DEGREES AND 45 DEGREES U.N.O.
- 6.) VENTILATION AND VENTILATION TYPE WILL BE CALCULATED AND DETERMINED BY THE ROOFER, BUILDER OR LICENSED ENGINEER
- 7.) ENGINEER, TRUSS COMPANY, FRAMER OR BUILDER WILL DETERMINE HEADSIZES, TRUSS DESIGN, BEAMS, LVLs, GIRDERS AND LUMBER SPACING.
- 8.) CONCRETE SLAB TYPE AND MATERIAL TO BE VERIFIED AND DETERMINED BY LICENSED ENGINEER
- 9.) ALL NATIONAL, STATE AND LOCAL CODES MUST BE COMPLIED WITH AND VERIFIED BY THE BUILDER (CODES WILL TAKE PRECEDENCE OVER OVER ALL DRAWINGS)
- 10.) MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SIZING, DESIGN AND LOCATIONS TO BE VERIFIED AND DESIGNED BY TRADE CONTRACTOR, BUILDER AND OR LICENSED ENGINEER
- 11.) ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER. BUILDER ASSUMES

-AREA LEGEND -  
(ALL AREAS TO FRAMING)


|                                    |      |
|------------------------------------|------|
| FIRST FLOOR AREA                   | 991  |
| SECOND FLOOR AREA                  | 1106 |
| TOTAL CONDITIONED AREA             | 2097 |
| GARAGE AREA                        | 408  |
| FRONT PORCH AREA                   | 38   |
| COVERED REAR PATIO AREA            | N/A  |
| TOTAL UNDER ROOF AREA              | 2543 |
| TOTAL UNDER ROOF W/COV'D PATIO/N/A |      |




COPYRIGHT 2022  
HORIZONS EAST BUILDING CO.  
503 NEW BRIDGE ST.  
JACKSONVILLE, NC. 28540

ALL FASCIA TO BE 2X6

**\*\*Reverse Plan\*\***



**-ROOF PLAN-**  
1/8" = 1'-0"



**- 1 ST FLOOR ROOF PLAN -**  
1/8" = 1'-0"

|                                              |
|----------------------------------------------|
| AUTHORED DATE: X                             |
| CLIENT NAME - PROJECT NUMBER:<br>XXXXXXXXXX: |
| CONTRACT DRAWING DATE:<br>X/X/XX             |
| REVISION DRAWING DATE:<br>X/X/XX             |
| CONSTRUCTION DRAWING DATE:<br>X/X/XX         |

PLAN NAME:  
**WINSTON**  
- A -

**-ROOF PLAN -**  
1/8" = 1'-0"

**-GENERAL NOTES -**

- 1.) EXTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 2.) INTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 3.) PLATE HEIGHT 9'-0" FIRST FLOOR AND 8'-0" SECOND FLOOR
- 4.) HEADER HEIGHT FOR WINDOWS TO BE 6'-11" U.N.O. LOCATION, SIZE AND MATERIAL TO BE DETERMINED BY THE FRAMER, TRUSS COMPANY, BUILDER AND OR A LICENSED ENGINEER
- 5.) ANGLES WILL BE DRAWN AT 90 DEGREES AND 45 DEGREES U.N.O.
- 6.) VENTILATION AND VENTILATION TYPE WILL BE CALCULATED AND DETERMINED BY THE ROOFER, BUILDER OR LICENSED ENGINEER
- 7.) ENGINEER, TRUSS COMPANY, FRAMER OR BUILDER WILL DETERMINE HEADERS, TRUSS DESIGN, BEAMS, LVLs, GIRDERS AND LUMBER SPACING.
- 8.) CONCRETE SLAB TYPE AND MATERIAL TO BE VERIFIED AND DETERMINED BY LICENSED ENGINEER
- 9.) ALL NATIONAL, STATE AND LOCAL CODES MUST BE COMPLIED WITH AND VERIFIED BY THE BUILDER (CODES WILL TAKE PRECEDENCE OVER OVER ALL DRAWINGS)
- 10.) MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SIZING, DESIGN AND LOCATIONS TO BE VERIFIED AND DESIGNED BY TRADE CONTRACTOR, BUILDER AND OR LICENSED ENGINEER
- 11.) ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER. BUILDER ASSUMES

**-AREA LEGEND -**  
(ALL AREAS TO FRAMING)




|                                    |      |
|------------------------------------|------|
| FIRST FLOOR AREA                   | 991  |
| SECOND FLOOR AREA                  | 1106 |
| TOTAL CONDITIONED AREA             | 2097 |
| GARAGE AREA                        | 408  |
| FRONT PORCH AREA                   | 38   |
| COVERED REAR PATIO AREA            | N/A  |
| TOTAL UNDER ROOF AREA              | 2543 |
| TOTAL UNDER ROOF W/COV'D PATIO/N/A |      |



COPYRIGHT 2022  
HORIZONS EAST BUILDING CO.  
503 NEW BRIDGE ST.  
JACKSONVILLE, NC. 28540

**CABINET LEGEND**

WC: WALL CABINET  
 WCC: WALL CORNER CABINET  
 B: BASE CABINET  
 SB: SINK BASE  
 CB: CORNER BASE



**-CABINET PROFILE-**

1/4" = 1'-0"

|                                              |
|----------------------------------------------|
| AUTHORED DATE: X                             |
| CLIENT NAME - PROJECT NUMBER:<br>XXXXXXXXXX: |
| CONTRACT DRAWING DATE:<br>X/X/XX             |
| REVISION DRAWING DATE:<br>X/X/XX             |
| CONSTRUCTION DRAWING DATE:<br>X/X/XX         |

|                                        |
|----------------------------------------|
| PLAN NAME:<br><b>WINSTON</b><br>- A -  |
| <b>-KITCHEN PLAN -</b><br>1/4" = 1'-0" |

- GENERAL NOTES -**
- 1.) EXTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
  - 2.) INTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
  - 3.) PLATE HEIGHT 9'-0" FIRST FLOOR AND 8'-0" SECOND FLOOR
  - 4.) HEADER HEIGHT FOR WINDOWS TO BE 6'-11" U.N.O. LOCATION, SIZE AND MATERIAL TO BE DETERMINED BY THE FRAMER, TRUSS COMPANY, BUILDER AND OR A LICENSED ENGINEER
  - 5.) ANGLES WILL BE DRAWN AT 90 DEGREES AND 45 DEGREES U.N.O.
  - 6.) VENTILATION AND VENTILATION TYPE WILL BE CALCULATED AND DETERMINED BY THE ROOFER, BUILDER OR LICENSED ENGINEER
  - 7.) ENGINEER, TRUSS COMPANY, FRAMER OR BUILDER WILL DETERMINE HEADERS, SIZES, TRUSS DESIGN, BEAMS, LVLs, GIRDERS AND LUMBER SPACING.
  - 8.) CONCRETE SLAB TYPE AND MATERIALS TO BE VERIFIED AND DETERMINED BY LICENSED ENGINEER
  - 9.) ALL NATIONAL, STATE AND LOCAL CODES MUST BE COMPLIED WITH AND VERIFIED BY THE BUILDER (CODES WILL TAKE PRECEDENCE OVER OVER ALL DRAWINGS)
  - 10.) MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SIZING, DESIGN AND LOCATIONS TO BE VERIFIED AND DESIGNED BY TRADE CONTRACTOR, BUILDER AND OR LICENSED ENGINEER
  - 11.) ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER. BUILDER ASSUMES


**-AREA LEGEND -**  
(ALL AREAS TO FRAMING)

|                                    |      |
|------------------------------------|------|
| FIRST FLOOR AREA                   | 991  |
| SECOND FLOOR AREA                  | 1106 |
| TOTAL CONDITIONED AREA             | 2097 |
| GARAGE AREA                        | 408  |
| FRONT PORCH AREA                   | 38   |
| COVERED REAR PATIO AREA            | N/A  |
| TOTAL UNDER ROOF AREA              | 2543 |
| TOTAL UNDER ROOF W/COV'D PATIO/N/A |      |

ALL FASCIA TO BE 2X6




**-REAR ELEVATION-**  
1/8" = 1'-0"




**-RIGHT ELEVATION-**  
1/8" = 1'-0"


Porch relocated to side of house




**-LEFT ELEVATION-**  
1/8" = 1'-0"




**12' x 12' COVERED PATIO**  
1/8" = 1'-0"



**12' x 12' FOUNDATION PLAN**  
1/8" = 1'-0"



**12' x 12' BLOCK & FILL FND. PLAN**  
1/8" = 1'-0"



**- OPT. 12' x 12' REAR PORCH ROOF PLAN -**  
1/8" = 1'-0"

|                                              |
|----------------------------------------------|
| AUTHORED DATE: X                             |
| CLIENT NAME - PROJECT NUMBER:<br>XXXXXXXXXX: |
| CONTRACT DRAWING DATE:<br>X/X/XX             |
| REVISION DRAWING DATE:<br>X/X/XX             |
| CONSTRUCTION DRAWING DATE:<br>X/X/XX         |


|                                       |
|---------------------------------------|
| PLAN NAME:<br><b>WINSTON</b><br>- A - |
|---------------------------------------|

- OPTIONS PAGE -  
12' X 12' COVERED PATIO  
1/8" = 1'-0"


**- GENERAL NOTES -**

- 1.) EXTERIOR WALLS ARE DRAWN AT 3 1/2" WIDE U.N.O.
- 2.) INTERIOR WALLS ARE DRAWN AT 3 1/2" WIDE U.N.O.
- 3.) PLATE HEIGHT 9'-0" FIRST FLOOR AND 8'-0" SECOND FLOOR
- 4.) HEADER HEIGHT FOR WINDOWS TO BE 6'-11" U.N.O. LOCATION, SIZE AND MATERIAL TO BE DETERMINED BY THE FRAMER, TRUSS COMPANY, BUILDER AND OR A LICENSED ENGINEER
- 5.) ANGLES WILL BE DRAWN AT 90 DEGREES AND 45 DEGREES U.N.O.
- 6.) VENTILATION AND VENTILATION TYPE WILL BE CALCULATED AND DETERMINED BY THE ROOFER, BUILDER OR LICENSED ENGINEER
- 7.) ENGINEER, TRUSS COMPANY, FRAMER OR BUILDER WILL DETERMINE HEADER SIZES, TRUSS DESIGN, BEAMS, LVLs, GIRDERS AND LUMBER SPACING.
- 8.) CONCRETE SLAB TYPE AND MATERIALS TO BE VERIFIED AND DETERMINED BY A LICENSED ENGINEER
- 9.) ALL NATIONAL, STATE AND LOCAL CODES MUST BE COMPLIED WITH AND VERIFIED BY THE BUILDER (CODES WILL TAKE PRECEDENCE OVER ALL DRAWINGS)
- 10.) MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SIZING, DESIGN AND LOCATIONS TO BE VERIFIED AND DESIGNED BY TRADE CONTRACTOR, BUILDER AND OR LICENSED ENGINEER
- 11.) ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER. BUILDER ASSUMES ALL DIMENSIONS TO PLUMBING FIXTURES ARE DIMENSIONED TO CENTER OF PLUMBING WALL, WHILE ALSO CENTERED ON FIXTURE. ALL VERTICAL DIMENSIONS TO PLUMBING FIXTURES TO ST RT FROM THE REAR EDGE OF HOUSE SLAB


**-AREA LEGEND -**  
(ALL AREAS TO FRAMING)




**-OPTIONAL KITCHEN-**  
1/8" = 1'-0"




**-OPTIONAL FENCH DOORS LOC. 1-**  
1/8" = 1'-0"




**-OPTIONAL FENCH DOORS LOC. 2-**  
1/8" = 1'-0"




**-OPTIONAL FIREPLACE-**  
1/8" = 1'-0"




**-OPTIONAL SIDE ENTRY GARAGE-**  
1/8" = 1'-0"




**-OPTIONAL MASTER BATH I-**  
1/8" = 1'-0"




**-OPTIONAL BOX CEILING-**  
1/8" = 1'-0"




**-OPTIONAL GARAGE SERVICE DOOR-**  
1/8" = 1'-0"



**-OPTIONAL HALL BATH -**  
1/8" = 1'-0"



**-OPTIONAL OFFICE/BEDROOM -**  
1/8" = 1'-0"



**-OPTIONAL DROP ZONE -**  
1/8" = 1'-0"

AUTHORED DATE: X  
CLIENT NAME - PROJECT NUMBER:  
XXXXXXXXX:  
CONTRACT DRAWING DATE:  
X/X/XX  
REVISION DRAWING DATE:  
X/X/XX  
CONSTRUCTION DRAWING DATE:  
X/X/XX

PLAN NAME:  
**WINSTON**

**-OPTIONS PAGE -**  
1/8" = 1'-0"

**-GENERAL NOTES -**

- 1.) EXTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 2.) INTERIOR WALLS ARE DRAWN AT 3 1/2 WIDE U.N.O.
- 3.) PLATE HEIGHT 9'-0" FIRST FLOOR AND 8'-0" SECOND FLOOR
- 4.) HEADER HEIGHT FOR WINDOWS TO BE 6'-11" U.N.O. LOCATION, SIZE AND MATERIAL TO BE DETERMINED BY THE FRAMER, TRUSS COMPANY, BUILDER AND OR A LICENSED ENGINEER
- 5.) ANGLES WILL BE DRAWN AT 90 DEGREES AND 45 DEGREES U.N.O.
- 6.) VENTILATION AND VENTILATION TYPE WILL BE CALCULATED AND DETERMINED BY THE ROOFER, BUILDER OR LICENSED ENGINEER
- 7.) ENGINEER, TRUSS COMPANY, FRAMER OR BUILDER WILL DETERMINE HEADERS, TRUSS DESIGN, BEAMS, LVLs, GIRDERS AND LUMBER SPACING.
- 8.) CONCRETE SLAB TYPE AND MATERIAL TO BE VERIFIED AND DETERMINED BY LICENSED ENGINEER
- 9.) ALL NATIONAL, STATE AND LOCAL CODES MUST BE COMPLIED WITH AND VERIFIED BY THE BUILDER (CODES WILL TAKE PRECEDENCE OVER OVER ALL DRAWINGS)
- 10.) MECHANICAL, ELECTRICAL AND PLUMBING SYSTEMS SIZING, DESIGN AND LOCATIONS TO BE VERIFIED AND DESIGNED BY TRADE CONTRACTOR, BUILDER AND OR LICENSED ENGINEER
- 11.) ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER. BUILDER ASSUMES

**-AREA LEGEND -**  
(ALL AREAS TO FRAMING)


|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |




"Where Details Make the Difference"

503 New Bridge St.  
 Jacksonville, NC 28540  
 (910) 708-1418  
 www.horizonseastbuildingco.com

Signature Here



① TRAY CEILING SECTION DETAIL  
 1" = 1'-0"



② COFFERED CEILING SECTION DETAIL  
 1" = 1'-0"

### Project

Number  
 Project Name  
 Client Name Horizons East

Address

Square Footage

|                    |     |
|--------------------|-----|
| 1st Floor Heated   | N/A |
| 1st Floor Unheated | N/A |
| 2nd Floor Heated   | N/A |
| Total              | N/A |

### Drawing

Name Tray & Coffered Ceiling Section Detail  
 Drawn By KB  
 Date 10/15/2024

Revisions

| No. | Description | Rev. Date |
|-----|-------------|-----------|
|     |             |           |
|     |             |           |
|     |             |           |

### Sheet

Number D401  
 Scale 1" = 1'-0"  
 Size ARCH C

DISCLAIMER: PLANS MAY VARY FOR BUILDING PURPOSES



"Where Details Make the Difference"  
 503 New Bridge St.  
 Jacksonville, NC 28540  
 (910) 708-1418  
 www.horizonseastbuildingco.com

Signature Here

### Project

Number  
 Project Name

Client Name  
 Address

Notes

---



---



---



---

### Drawing

Name 4'-0" Drop Zone Details  
 Drawn By KB  
 Date


Revisions

| No. | Description | Rev. Date |
|-----|-------------|-----------|
|     |             |           |
|     |             |           |
|     |             |           |


### Sheet

Number D4  
 Scale 1" = 1'-0"  
 Size ARCH C


DISCLAIMER: PLANS MAY VARY FOR BUILDING PURPOSES




FRONT VIEW



SIDE VIEW




BOTTOM CUBBIES SECTION VIEW



UPPER CUBBIES SECTION VIEW

① 4'-0" DROP ZONE B2  
 1" = 1'-0"



Typical Wall Section  
Scale: NTS

**Horizons East**  
Building Co.

"Where Details Make the Difference"

503 New Bridge St.  
Jacksonville, NC 28540  
(910) 708-1418  
www.horizonseastbuildingco.com

Signature Here

**Project**

Number \_\_\_\_\_

Project Name \_\_\_\_\_

Client Name \_\_\_\_\_

Address \_\_\_\_\_

Notes \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Drawing**

Name \_\_\_\_\_ Typ. Wall Section \_\_\_\_\_

Drawn By \_\_\_\_\_ LMK

Date \_\_\_\_\_

Revisions

| No. | Description | Rev. Date |
|-----|-------------|-----------|
|     |             |           |
|     |             |           |
|     |             |           |
|     |             |           |

**Sheet**

Number \_\_\_\_\_ A301

Scale \_\_\_\_\_ 1/2" = 1'-0"

Size \_\_\_\_\_ ARCH C

DISCLAIMER: PLAN DESIGNS MAY DIFFER  
BASED ON BUILDING REQUIREMENTS