

ONslow COUNTY HEALTH CENTER

JACKSONVILLE, N. C.

CERTIFICATE OF COMPLETION

(GROUND ABSORPTION SEWAGE DISPOSAL SYSTEM—G.S. CHAPTER 130A-335)

OWNER Mallard Creek

Property Address: 609 MALLARD DR 17

Approved As Shown on Plot Plan W

Approved As Shown on Final Plot ( )

Lot 5 Blk \_\_\_\_\_ Sec I

Distance of Well: From Tank \_\_\_\_\_

From Drainfield \_\_\_\_\_

Leney v 6-15-89 final  
Have Tank and Drain Lines Inspected by a representative of the Onslow County Health Center before covering.

Installed By Rc Bryan

Certificate of Completion by U Haster

Date 6-15-89

\*THIS DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE

ONslow COUNTY HEALTH CENTER  
JACKSONVILLE, N. C.

IMPROVEMENTS PERMIT

(GROUND ABSORPTION SEWAGE DISPOSAL SYSTEM—  
G. S. CHAPTER 130A-335)

OWNER MALLARD Creek

Address Jacksonville S.R. No. 175

Location MALLARD Dr.

LOT 5 Sect I

Water Supply Private ( ) Community  Mobile Home Park ( )

HOUSE  MOBILE HOME ( ) BUSINESS ( )

NO. BEDROOMS 3 NO. BATHROOMS 2

Suitable ( ) Prov. Suitable  Unsuitable ( )

Locate Tank and Lines 10' from H2O / property line

Min. 100 Feet ( ) Min. 50 Feet ( ) From Well

Size of Septic Tank 1000 Gal.

Nitrification Lines 600 sq. Ft. 200 lin. Ft.

No. of lines 3-67


IMPROVEMENTS PERMIT BY U HASTER

DATE 10-12-88

PERMIT VALID FOR THREE YEARS

FINAL PLOT

MALLARD Dr  
PLOT PLAN-85



Do Not Alter the Above Layout Without Contacting  
The Onslow County Health Department