


**CHEROKEE COUNTY HEALTH DEPARTMENT**  
**IMPROVEMENTS PERMIT**  
**GROUND ABSORPTION SEWAGE DISPOSAL SYSTEM**  
**G. S. CHAPTER 130 ARTICLES 13C & 160**

Owner or Contractor Calvin Beaver Date 12/19/79  
 Location State Road 1309  
 Subdivision \_\_\_\_\_ Lot \_\_\_\_\_ Section \_\_\_\_\_  
 Residential Trailer Business \_\_\_\_\_ Lot Area \_\_\_\_\_  
 Installer: John Patton Permit by: M.T.

# Bedrooms 2  
 # Bathroom(s) \_\_\_\_\_  
 Water Supply  
 Public \_\_\_\_\_ Private \_\_\_\_\_  
 Distance to Water Supply Source  
 If Private 100 feet.  
 Septic Tank Size 750 Gal.  
 Nitrification Field  
450 Sq. Ft. #Lines 1 (75x6)

Sketch of Septic System Layout:



Depth of Stone 18 inches  
 Sewage Disposal System must be Located:  
 10 feet from bldg. foundation.  
 10 feet from property lines.  
 10 feet from water lines.  
 15 feet from basement foundation.  
 15 feet from embankment or cuts.  
 50 feet from any stream.  
 100 feet from water supply source  
 if possible, but not less than 50 ft.

Nitrification lines must be placed  
 on a grade of 1/4 inch fall in 10 ft.  
 Gravel bed should be covered with untreated  
 building paper or 2 in. of hay or straw.

Certificate of Completion by Michael Hooper Date 12/20/79