

PROPERTY LOCATED AT: **4 Highlands Lane, Northeast Harbor, Mount Desert, ME 04662**

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: Public Private Seasonal _____ Unknown
 Drilled Dug Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): N/A Yes No Unknown
Quantity: Yes No Unknown
Quality: Yes No Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? Yes No
If Yes, Date of most recent test: 2009 Are test results available? .. Yes No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? Yes No
If Yes, are test results available? ~~Yes No~~
What steps were taken to remedy the problem? _____

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: Between main house and driveway, to left of gravel path to the basement under rocks
Installed by: Unknown
Date of Installation: 1985

USE: Number of persons currently using system: 2 (sometimes up to 10)
Does system supply water for more than one household? Yes No Unknown

Comments: Well services both cottages (same household)

Source of Section I information: Seller
Buyer Initials _____ Page 1 of 8 Seller Initials CEP III PELSHPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, Mount Desert, ME 04662

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: Public Private Quasi-Public _____ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... Yes No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? Yes No

What steps were taken to remedy the problem? _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: Septic Tank Holding Tank Cesspool Other: _____
 Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: 500 Gallon 1000 Gallon Unknown Other: _____

Tank Type: Concrete Metal Unknown Other: _____

Location: Side of driveway OR Unknown

Date installed: 1985 Date last pumped: 2024 Name of pumping company: Royal Flush

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem: _____

Date of last servicing of tank: _____ Name of company servicing tank: _____

Leach Field: Yes No Unknown

If Yes, Location: Between lower driveway and Peabody Dr

Date of installation of leach field: 1985 Installed by: MDI Service

Date of last servicing of leach field: Unknown Company servicing leach field: _____

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? Yes No

If Yes, are they available? Yes No

Is System located in a Shoreland Zone? Yes No Unknown

Comments: HHE200 available upon request

Source of Section II information: Town record; Seller

Buyer Initials _____

Seller Initials ^{DS} CEP III ^{Initial} PFLSHPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, Mount Desert, ME 04662

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	Electric baseboard	Gas "Woodstove"	Wood Fireplace	
Age of system(s) or source(s)	1985	2010	1985	
TYPE(S) of Fuel	Electric	Propane	Wood	
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)		32g		
Name of company that services system(s) or source(s)	Versant	Dead River	----	
Date of most recent service call		2025		
Malfunctions per system(s) or source(s) within past 2 years	None	None		
Other pertinent information		Used Seasonally	Used for ambiance	

- Are there fuel supply lines? Yes No Unknown
- Are any buried? Yes No Unknown
- Are all sleeved? Yes No Unknown
- Chimney(s): Yes No
 - If Yes, are they lined: Yes No Unknown
 - Is more than one heat source vented through one flue? Yes No Unknown
 - Had a chimney fire: Yes No Unknown
 - Has chimney(s) been inspected? Yes No Unknown
 - If Yes, date: _____
 - Date chimney(s) last cleaned: _____
- Direct and/or Power Vent(s): Yes No Unknown
- Has vent(s) been inspected? Yes No Unknown
- If Yes, date: _____

Comments: **Primary bedroom A/C unit only; Propane tank under deck**

Source of Section III information: **Seller**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

- A. UNDERGROUND STORAGE TANKS** - Are there now, or have there ever been, any underground storage tanks on the property? Yes No Unknown
- If Yes, are tanks in current use? Yes No Unknown
- If no longer in use, how long have they been out of service? ---
- If tanks are no longer in use, have tanks been abandoned according to DEP? Yes No Unknown
- Are tanks registered with DEP? Yes No Unknown
- Age of tank(s): ---- Size of tank(s): ----
- Location: ----

Buyer Initials _____ Page 3 of 8 Seller Initials CEP III PELSHPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, Mount Desert, ME 04662

What materials are, or were, stored in the tank(s)? ----

Have you experienced any problems such as leakage: Yes No Unknown

Comments: No records at town office

Source of information: Seller

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? Yes No Unknown

In the ceilings? Yes No Unknown

In the siding? Yes No Unknown

In the roofing shingles? Yes No Unknown

In flooring tiles? Yes No Unknown

Other: ----- Yes No Unknown

Comments: House built in 1985

Source of information: Seller has no records

C. RADON/AIR - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: 2009 By: Radon Diagnostics Laboratory

Results: Satisfactory; Available upon request

If applicable, what remedial steps were taken? None

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: Available upon request

Source of information: Seller; Radon Diagnostic Laboratory

D. RADON/WATER - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: 2009 By: Radon Diagnostics Laboratory

Results: Satisfactory; Available upon request

If applicable, what remedial steps were taken? None

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: Available upon request

Source of information: Seller; Radon Diagnostic Laboratory

E. METHAMPHETAMINE - Current or previously existing: Yes No Unknown

Comments: -----

Source of information: Seller; No records found at town office

Buyer Initials _____

Seller Initials ^{DS} CEP III ^{Initial} PELSAPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, Mount Desert, ME 04662

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
..... Yes No Unknown Unknown (but possible due to age)

If Yes, describe location and basis for determination: ----

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: Yes No

If Yes, describe: -----

Are you aware of any cracking, peeling or flaking paint? Yes No

Comments: Sheetrock seams patched/painted in 2025; house built in 1985

Source of information: Seller

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: Yes No Unknown

LAND FILL: Yes No Unknown

RADIOACTIVE MATERIAL: Yes No Unknown

Other: ----

Source of information: Seller

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? Yes No Unknown

If Yes, explain: Private drive with easement

Source of information: Deed; Seller

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? Yes No Unknown

If No, who is responsible for maintenance? Seller (see deed)

Road Association Name (if known): None

Source of information: Deed; Seller

Buyer Initials _____

Seller Initials ^{DS} CEP III ^{Initial} PFLSHPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, Mount Desert, ME 04662

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? Yes No Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? Yes No Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? Yes No Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? Yes No Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? Yes No Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? Yes No Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: 2309C1217D Year: 2016 (Attach a copy)

Comments: _____

Source of Section VI information: Seller; FEMA website

Buyer Initials _____

Seller Initials CEP III PFLSAPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, Mount Desert, ME 04662

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
..... Yes No Unknown

If Yes, explain: -----

Is a Forest Management and Harvest Plan available?..... Yes No Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... Yes No Unknown

If Yes, explain: -----

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: Propane tank leased

Year Principal Structure Built: 1985 What year did Seller acquire property? 2009

Roof: Year Shingles/Other Installed: 2010

Water, moisture or leakage: No

Comments: Replaced in 2010

Foundation/Basement:

Is there a Sump Pump? Yes No Unknown

Water, moisture or leakage since you owned the property: Yes No Unknown

Prior water, moisture or leakage? Yes No Unknown

Comments: Dri-eaz dehumidifier installed in crawl space

Mold: Has the property ever been tested for mold? Yes No Unknown

If Yes, are test results available? Yes No

Comments: Mold remediation performed in 2010

Electrical: Fuses Circuit Breaker Other: _____ Unknown

Comments: 200 amp underground

Has all or a portion of the property been surveyed? Yes No Unknown

If Yes, is the survey available? Yes No Unknown

Manufactured Housing - Is the residence a:

Mobile Home Yes No Unknown

Modular Yes No Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... Yes No Unknown

Comments: -----

Buyer Initials _____

Seller Initials CEP III PFLSPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, Mount Desert, ME 04662

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: None known

Comments: -----

Source of Section VII information: Seller

SECTION VIII - ADDITIONAL INFORMATION

Main house electric is underground and feeds to the guest cottage via a sub panel located under the guest cottage. Seaco security system and Invisible Fence. Spring 2026 - a small leak from the bottom of the upstairs patio window was found and repaired.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: Yes No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

DocuSigned by:
C. Eliot Pierce III 6/23/2026
SELLER DATE
PIERCE FAMILY LLC, C. Eliot Pierce III, Manager

Signed by:
PIERCE FAMILY LLC, Sheila Hanson Pierce, Manager 6/24/2026
SELLER DATE
PIERCE FAMILY LLC, Sheila Hanson Pierce, Manager

SELLER DATE

SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE

BUYER DATE

BUYER DATE

BUYER DATE



PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, ME

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: Public Private Seasonal _____ Unknown
 Drilled Dug Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): N/A Yes No Unknown
Quantity: Yes No Unknown
Quality: Yes No Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? Yes No
If Yes, Date of most recent test: 2009 Are test results available? .. Yes No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? Yes No
If Yes, are test results available? ~~Yes No~~
What steps were taken to remedy the problem? ----

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: Between main house and driveway, to left of gravel path to the basement under rocks
Installed by: Unknown
Date of Installation: 1985

USE: Number of persons currently using system: 2 (sometimes up to 10)
Does system supply water for more than one household? Yes No Unknown

Comments: Well services both cottages (same household)

Source of Section I information: Seller
Buyer Initials _____ Page 1 of 8 Seller Initials CEP III PELSHPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, ME

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: Public Private Quasi-Public _____ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... Yes No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? Yes No

What steps were taken to remedy the problem? _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: Septic Tank Holding Tank Cesspool Other: _____

Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: 500 Gallon 1000 Gallon Unknown Other: _____

Tank Type: Concrete Metal Unknown Other: _____

Location: Side of driveway OR Unknown

Date installed: 1985 Date last pumped: 2024 Name of pumping company: Royal Flush

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem: -----

Date of last servicing of tank: Unknown Name of company servicing tank: -----

Leach Field: Yes No Unknown

If Yes, Location: Between lower driveway and Peabody Dr

Date of installation of leach field: 1985 Installed by: MDI Service

Date of last servicing of leach field: Unknown Company servicing leach field: -----

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem and what steps were taken to remedy: -----

Do you have records of the design indicating the # of bedrooms the system was designed for? Yes No

If Yes, are they available? Yes No

Is System located in a Shoreland Zone? Yes No Unknown

Comments: HHE200 available upon request

Source of Section II information: Town record; Seller

Buyer Initials _____

Seller Initials ^{DS} CEP III ^{Initial} PFLSHPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, ME

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	Gas "Woodstove"			
Age of system(s) or source(s)	2010			
TYPE(S) of Fuel	Propane			
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)				
Name of company that services system(s) or source(s)	Dead River			
Date of most recent service call	2024			
Malfunctions per system(s) or source(s) within past 2 years	None			
Other pertinent information	Used Seasonally			

Are there fuel supply lines? Yes No Unknown
 Are any buried? Yes No Unknown
 Are all sleeved? Yes No Unknown
 Chimney(s): Yes No
 If Yes, are they lined: Yes No Unknown
 Is more than one heat source vented through one flue? Yes No Unknown
 Had a chimney fire: Yes No Unknown
 Has chimney(s) been inspected? Yes No Unknown
 If Yes, date: _____
 Date chimney(s) last cleaned: _____

Direct and/or Power Vent(s): Yes No Unknown
 Has vent(s) been inspected? Yes No Unknown
 If Yes, date: _____

Comments: ----

Source of Section III information: **Seller**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? Yes No Unknown
 If Yes, are tanks in current use? Yes No Unknown
 If no longer in use, how long have they been out of service? ----
 If tanks are no longer in use, have tanks been abandoned according to DEP? Yes No Unknown
 Are tanks registered with DEP? Yes No Unknown
 Age of tank(s): ---- Size of tank(s): ----
 Location: -----

Buyer Initials _____ Page 3 of 8 Seller Initials CEP III PELSHPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, ME

What materials are, or were, stored in the tank(s)? ----

Have you experienced any problems such as leakage: Yes No Unknown

Comments: No records at town office

Source of information: Seller

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? Yes No Unknown

In the ceilings? Yes No Unknown

In the siding? Yes No Unknown

In the roofing shingles? Yes No Unknown

In flooring tiles? Yes No Unknown

Other: ----- Yes No Unknown

Comments: Seller has no records

Source of information: Seller

C. RADON/AIR - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: 2009 By: Radon Diagnostics Laboratory

Results: Satisfactory; Available upon request

If applicable, what remedial steps were taken? None

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: Available upon request

Source of information: Seller; Radon Diagnostic Laboratory

D. RADON/WATER - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: 2009 By: Radon Diagnostics Laboratory

Results: Satisfactory; Available upon request

If applicable, what remedial steps were taken? None

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: Available upon request

Source of information: Seller; Radon Diagnostic Laboratory

E. METHAMPHETAMINE - Current or previously existing: Yes No Unknown

Comments: -----

Source of information: Seller

Buyer Initials _____

Seller Initials ^{DS} CEP III ^{Initial} PELSHPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, ME

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
..... Yes No Unknown Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: Yes No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? Yes No

Comments: Sheetrock seams patched/painted in 2025; house built in 1985

Source of information: Seller

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: Yes No Unknown

LAND FILL: Yes No Unknown

RADIOACTIVE MATERIAL: Yes No Unknown

Other: _____

Source of information: Seller

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? Yes No Unknown

If Yes, explain: Private drive with easement

Source of information: Deed; Seller

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? Yes No Unknown

If No, who is responsible for maintenance? Seller (see deed)

Road Association Name (if known): None

Source of information: Deed; Seller

Buyer Initials _____

Seller Initials ^{DS} CEP III ^{Initial} PFLSHPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, ME

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? Yes No Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? Yes No Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? Yes No Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? Yes No Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? Yes No Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? Yes No Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: 2309C1217D Year: 2016 (Attach a copy)

Comments: _____

Source of Section VI information: **Seller; FEMA website**

Buyer Initials _____

Seller Initials CEP III PFLSAPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, ME

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
..... Yes No Unknown

If Yes, explain: ---

Is a Forest Management and Harvest Plan available?..... Yes No Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... Yes No Unknown

If Yes, explain: -----

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: None

Year Principal Structure Built: 1985 What year did Seller acquire property? 2009

Roof: Year Shingles/Other Installed: 2010

Water, moisture or leakage: No

Comments: Replaced in 2010

Foundation/Basement:

Is there a Sump Pump? Yes No Unknown

Water, moisture or leakage since you owned the property: Yes No Unknown

Prior water, moisture or leakage? Yes No Unknown

Comments: House is on concrete piers

Mold: Has the property ever been tested for mold? Yes No Unknown

If Yes, are test results available? ~~Yes No~~

Comments: -----

Electrical: Fuses Circuit Breaker Other: _____ Unknown

Comments: Sub panel under cottage from main house electric

Has all or a portion of the property been surveyed? Yes No Unknown

If Yes, is the survey available? Yes No Unknown

Manufactured Housing - Is the residence a:

Mobile Home Yes No Unknown

Modular Yes No Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... Yes No Unknown

Comments: -----

Buyer Initials _____

Seller Initials CEP III PFLSPM

PROPERTY LOCATED AT: 4 Highlands Lane, Northeast Harbor, ME

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: None known

Comments: -----

Source of Section VII information: Seller

SECTION VIII - ADDITIONAL INFORMATION

Cottage is seasonal. Upstairs window replaced in 2024 - old window wasn't fully closing

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: Yes No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

DocuSigned by:
C. Eliot Pierce III 6/23/2026
SELLER DATE
PIERCE FAMILY LLC, C. Eliot Pierce III, Manager

Signed by:
PIERCE FAMILY LLC, Sheila Hanson Pierce, Manager 6/23/2026
SELLER DATE
PIERCE FAMILY LLC, Sheila Hanson Pierce, Manager

SELLER DATE

SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE

BUYER DATE

BUYER DATE

BUYER DATE

