

LEAD PAINT DISCLOSURE/ADDENDUMAGREEMENT BETWEEN Debra L. Osgood

(hereinafter "Seller")

AND _____

(hereinafter "Buyer")

FOR PROPERTY LOCATED AT 5 Main St, Ellsworth, ME 04605

Said contract is further subject to the following terms:

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure(a) Presence of lead-based paint and/or lead-based paint hazards (**check one below**):

_____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

☒ Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the Seller (**check one below**):

_____ Seller has provided the Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

☒ Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Buyer's Acknowledgment

(c) Buyer has received copies of all information listed above.

(d) Buyer has received the pamphlet Protect Your Family from Lead in Your Home.

(e) Buyer has (**check one below**):

_____ Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

_____ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgment

(f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Buyer	Date	<u>Debra Osgood</u>	<u>10/05/2026</u>
		Seller Debra L. Osgood	Date
Buyer	Date	Seller	Date
Buyer	Date	Seller	Date
Buyer	Date	Seller	Date
Agent	Date	<u>Casey Hardwick</u>	<u>10/05/2026</u>
		Agent Casey Hardwick	Date

**Maine Association of REALTORS®/Copyright © 2025.**

All Rights Reserved. Revised 2023.

REALTOR®

Better Homes & Gardens The Masiello Group, 193 Main St Ellsworth ME 04605
Casey Hardwick

(207)460-6577

877-382-4884



Debra Osgood

PROPERTY LOCATED AT: 5 Main St, Ellsworth, ME 04605**PROPERTY DISCLOSURE**

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**SECTION I - WATER SUPPLY**

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Seasonal _____ ☐ Unknown
☐ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
 (public/private/other) water system?

Pump (if any): ☒ N/A ☐ Yes ☐ No ☐ Unknown

Quantity: ☐ Yes ☒ No ☐ Unknown

Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☐ Yes ☒ No

If Yes, Date of most recent test: _____ Are test results available? .. ☐ Yes ☐ No

To your knowledge, have any test results ever:

a) Been reported as unsatisfactory or satisfactory with notation?..... ☐ Yes ☐ No

b) Detected perfluoroalkyl and polyfluoroalkyl (PFA) substances? ☐ Yes ☐ No

If Yes to (a) and/or (b) above, are test results available? ☐ Yes ☐ No

What steps were taken to remedy the problem? _____

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: *****
 Installed by: *****
 Date of Installation: *****
 USE: *****
 Number of persons currently using system: *****
 Does system supply water for more than one household? ☐ Yes ☐ No ☐ Unknown

Comments: Public water supply- town takes care of testing

Source of Section I information: Seller

Buyer Initials _____

Page 1 of 8

Seller Initials DO _____

PROPERTY LOCATED AT: 5 Main St, Ellsworth, ME 04605**SECTION II - WASTE WATER DISPOSAL**TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... ☐ Yes ☒ No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☒ No

What steps were taken to remedy the problem? _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____☒ Overboard Discharge (38 MRS Section 413(3) and (3-A))Tank Size: ☐ 500 Gallon ☐ 1000 Gallon ☐ Unknown ☐ Other: _____Tank Type: ☐ Concrete ☒ Metal ☐ Unknown ☐ Other: _____Location: _____ OR ☐ Unknown

Date installed: _____ Date last pumped: _____ Name of pumping company: _____

Have you experienced any malfunctions? ☐ Yes ☐ No

If Yes, give the date and describe the problem: _____

Date of last servicing of tank: _____ Name of company servicing tank: _____

Leach Field: _____ ☐ Yes ☐ No ☐ Unknown

If Yes, Location: _____

Date of installation of leach field: _____ Installed by: _____

Date of last servicing of leach field: _____ Company servicing leach field: _____

Have you experienced any malfunctions? ☐ Yes ☐ No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☐ NoIf Yes, are they available? ☐ Yes ☐ NoIs System located in a Shoreland Zone? ☐ Yes ☐ No ☐ UnknownComments: Public SewerSource of Section II information: Seller

Buyer Initials _____

Page 2 of 8

Seller Initials DO _____

PROPERTY LOCATED AT: 5 Main St, Ellsworth, ME 04605**SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)**

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	FHA	Monitor		
Age of system(s) or source(s)	Unknown	Unknown-thinks maybe 4 yrs		
TYPE(S) of Fuel	Oil	Propane		
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	Unsure-tenant paid			
Name of company that services system(s) or source(s)	Unknown			
Date of most recent service call	Unknown	Unknown		
Malfunctions per system(s) or source(s) within past 2 years	Unknown	None		
Other pertinent information	Front Unit	Back Unit		

Are there fuel supply lines? ☒ Yes ☐ No ☐ UnknownAre any buried? ☒ Yes ☐ No ☐ UnknownAre all sleeved? ☒ Yes ☐ No ☐ UnknownChimney(s): ☒ Yes ☐ NoIf Yes, are they lined: ☐ Yes ☐ No ☒ UnknownIs more than one heat source vented through one flue? ☐ Yes ☒ No ☐ UnknownHad a chimney fire: ☐ Yes ☒ No ☐ UnknownHas chimney(s) been inspected? ☐ Yes ☐ No ☒ UnknownIf Yes, date: n/aDate chimney(s) last cleaned: UnknownDirect and/or Power Vent(s): ☒ Yes ☐ No ☐ UnknownHas vent(s) been inspected? ☐ Yes ☐ No ☒ UnknownIf Yes, date: n/aComments: **Front tenant paid for fuel and handled servicing furnace. Two chimneys- one not used.**Source of Section III information: **Seller****SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any undergroundstorage tanks on the property? ☐ Yes ☐ No ☒ UnknownIf Yes, are tanks in current use? ☐ Yes ☐ No ☒ UnknownIf no longer in use, how long have they been out of service? n/aIf tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☒ UnknownAre tanks registered with DEP? ☐ Yes ☐ No ☒ UnknownAge of tank(s): n/a Size of tank(s): n/aLocation: n/a

Buyer Initials _____

Page 3 of 8

Seller Initials DO _____

PROPERTY LOCATED AT: 5 Main St, Ellsworth, ME 04605What materials are, or were, stored in the tank(s)? n/aHave you experienced any problems such as leakage: ☐ Yes ☐ No ☒ UnknownComments: **Seller not aware of any underground storage tanks**Source of information: **Seller****B. ASBESTOS** - Is there now or has there been asbestos:As insulation on the heating system pipes or duct work? ☐ Yes ☒ No ☐ UnknownIn the ceilings? ☐ Yes ☐ No ☒ UnknownIn the siding? ☐ Yes ☐ No ☒ UnknownIn the roofing shingles? ☐ Yes ☒ No ☐ UnknownIn flooring tiles? ☐ Yes ☒ No ☐ UnknownOther: ☐ Yes ☒ No ☐ UnknownComments: **Siding is metal and cedar shingle-unsure if anything different is underneath**Source of information: **Seller****C. RADON/AIR** - Current or previously existing:Has the property been tested? ☐ Yes ☐ No ☒ UnknownIf Yes: Date: n/a By: n/aResults: **n/a**If applicable, what remedial steps were taken? n/aHas the property been tested since remedial steps? ☐ Yes ☒ No ☐ UnknownAre test results available? ☐ Yes ☐ NoResults/Comments: **Not tested under current ownership**Source of information: **Seller****D. RADON/WATER** - Current or previously existing:Has the property been tested? ☐ Yes ☒ No ☐ UnknownIf Yes: Date: n/a By: n/aResults: **n/a**If applicable, what remedial steps were taken? n/aHas the property been tested since remedial steps? ☐ Yes ☒ No ☐ UnknownAre test results available? ☐ Yes ☐ NoResults/Comments: **Public Water**Source of information: **Seller****E. METHAMPHETAMINE** - Current or previously existing:☐ Yes ☐ No ☒ Unknown

Comments: _____

Source of information: **Seller**

Buyer Initials _____

Page 4 of 8

Seller Initials DO

PROPERTY LOCATED AT: 5 Main St, Ellsworth, ME 04605**F. LEAD-BASED PAINT/PAINT HAZARDS** - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
☐ Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? ☒ Yes ☐ NoComments: Exterior wood trim and some areas insideSource of information: Seller, Visual Inspection**G. OTHER HAZARDOUS MATERIALS** - Current or previously existing:TOXIC MATERIAL: ☐ Yes ☐ No ☒ UnknownLAND FILL: ☐ Yes ☐ No ☒ UnknownRADIOACTIVE MATERIAL: ☐ Yes ☐ No ☒ Unknown

Other: _____

Source of information: Seller**Buyers are encouraged to seek information from professionals regarding any specific issue or concern.****SECTION V - ACCESS TO THE PROPERTY**Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☒ Yes ☐ No ☐ UnknownIf Yes, explain: See Boundary Line Agreement for line agreement and additional easements/rights of waySource of information: Registry of DeedsIs access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ UnknownIf No, who is responsible for maintenance? n/aRoad Association Name (if known): n/aSource of information: Seller

Buyer Initials _____

Page 5 of 8

Seller Initials DO _____

PROPERTY LOCATED AT: 5 Main St, Ellsworth, ME 04605**SECTION VI – FLOOD HAZARD**

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: _____ Year: _____ (Attach a copy)

Comments: _____

Source of Section VI information: **FEMA Maps**

Buyer Initials _____

Page 6 of 8

Seller Initials DO

PROPERTY LOCATED AT: 5 Main St, Ellsworth, ME 04605**SECTION VII - GENERAL INFORMATION**

Are there any tax exemptions or reductions for this property for any reason including but not limited to:

Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ UnknownIs the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, solar panels, wind turbines): Type: Propane TanksFrom Whom: Dead RiverYear Principal Structure Built: 1850 What year did Seller acquire property? 2016Roof: Year Shingles/Other Installed: Seller believes shingles were done approx 10 years agoWater, moisture or leakage: Not since shingles were installedComments: There is an old stain on the ceiling in a closet of an upstairs bedroom

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ UnknownWater, moisture or leakage since you owned the property: ☒ Yes ☐ No ☐ UnknownPrior water, moisture or leakage? ☒ Yes ☐ No ☐ UnknownComments: French drain in basementMold: Has the property ever been tested for mold? ☐ Yes ☐ No ☒ UnknownIf Yes, are test results available? ☐ Yes ☐ NoComments: Seller not aware of any mold testingElectrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: _____

Has all or a portion of the property been surveyed? ☒ Yes ☐ No ☐ UnknownIf Yes, is the survey available? ☒ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ UnknownModular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☒ No ☐ UnknownComments: Seller is unaware of any current issue

Buyer Initials _____

Page 7 of 8

Seller Initials DO

PROPERTY LOCATED AT: 5 Main St, Ellsworth, ME 04605

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: Plaster repair needed in a few areas, plunger in 1st flr bathroom sink doesn't work, front door needs to be replaced, see section VIII

Comments: _____

Source of Section VII information: Seller

SECTION VIII - ADDITIONAL INFORMATION

Defects cont...back lower rear of house under deck not sided, appears to need repair, there are a couple cracked windows, missing bricks on front left corner of foundation (facia only).

Each unit has designated hot water heater, laundry hookup in front unit, spacious rooms, newer rear deck for back unit. Attic accessed via narrow stairway from second floor of front unit. There is a large Continued... See Addendum Additional information 1

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Debra Osgood 10/05/2026
SELLER DATE
Debra L. Osgood

SELLER DATE

SELLER DATE

SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE

BUYER DATE

BUYER DATE

BUYER DATE



ADDENDUM

PROPERTY: **5 Main St, Ellsworth, ME 04605**

1) Additional information

storage area between both units on second floor. Can easily be made into a single family home again or home w/ inlaw unit.

Date: 10/05/2026

Debra Osgood
Signature

Date: _____

Signature

Date: _____

Signature

Date: _____

Signature

Addendum



Fact Sheet: Arsenic Treated Wood

Department of Health and
Human Services
11 State House Station
Augusta, ME 04333

Maine CDC
Environmental and
Occupational Health Program
Toll Free in Maine: 866-292-3474
Fax: 207-287-3981
TTY: 207-287-8066
Email: ehu@maine.gov

IF YOU WORK WITH CCA WOOD

- **NEVER** burn CCA wood.
- Wear gloves when handling CCA wood
- Wear a dust mask when sanding or cutting CCA wood
- Don't work with CCA wood in an enclosed area (like a garage)

Apply a coating to seal the wood every 1-2 years

TO LEARN MORE

Eric Frohberg
Environmental and
Occupational Health
Program
Maine CDC
Toll-free in Maine 866-
292-3474
TTY: 207-287-8066
[www.maine.gov/dhhs/
eohp](http://www.maine.gov/dhhs/eohp)

Does Your New Home Have Arsenic (CCA) Treated Wood?

About half of all Maine homes have a deck, or playground or some other structure that is made of wood treated with arsenic. This wood is called "CCA pressure-treated wood" or just "pressure-treated" wood. The wood was treated with arsenic to protect against rot and insects.

Too much arsenic can cause cancer. So it is good to prevent arsenic getting into your body when you can. When you touch wood treated with arsenic, you can get arsenic on your hands. The arsenic on your hands can get into your mouth if you are not careful about washing before eating. Young children are most at risk because they are more likely to put their hands in their mouths. The good news is that there are simple things you can do to protect yourself and your family from arsenic treated wood. This fact sheet will tell you how.



Children touching unsealed treated wood, and then putting their hands in their mouths is the biggest concern.

First: Does your house have arsenic treated (CCA) wood?

When arsenic treated wood is new, it tends to have a greenish tint. When CCA wood is older, it is harder to tell. Ask your realtor if the seller knows whether CCA wood was used. You can also test the wood to find out if it contains arsenic. Call us to find out how.

Second: If so, reduce contact with the arsenic.

You can lower the amount of arsenic on the surface of the wood by applying a coating on the wood every 1-2 years. Oil-based sealants, varnishes, or polyurethane work best for sealing arsenic in the wood. Be sure to wash your children's hands when they finish playing on or near CCA wood.

Third: If you have any questions, call us toll-free in Maine: 866-292-3474

Common Questions

What is CCA wood?

CCA wood is made by dipping the wood in a mixture of chemicals. These chemicals include chromium, copper, and arsenic. This protects the wood against insects and rot. This wood is known as CCA wood or "pressure treated" wood. Most pressure treated wood in the U.S. is CCA wood. After December 31, 2003, no more CCA wood will be made for use around homes. CCA wood may still be sold for home use until April 1, 2004 in the state of Maine.

What is Arsenic?

Arsenic is found in soil and rocks. Most people get a little arsenic every day from the food they eat. Also, some people have arsenic in their private wells, which is why it is important that anyone with a well have it tested for arsenic. People who are exposed to too much arsenic over many years are more likely to get cancer.