

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: Public Private Seasonal _____ Unknown
 Drilled Dug Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): N/A Yes No Unknown
Quantity: Yes No Unknown
Quality: Yes No Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? Yes No
If Yes, Date of most recent test: 2025 Are test results available? .. Yes No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? Yes No
If Yes, are test results available? Yes No
What steps were taken to remedy the problem? See below.

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: Front yard

Installed by: PL Jones & Sons of Ellsworth

Date of Installation: 2005 +/-

USE: Number of persons currently using system: 3-4

Does system supply water for more than one household? Yes No Unknown

Comments: Water currently treated by Norlen's for radon, uranium, cistern system.

Source of Section I information: Seller, prior property disclosure.

Buyer Initials _____ Page 1 of 8 Seller Initials _____

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: Public Private Quasi-Public _____ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... Yes No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? Yes No

What steps were taken to remedy the problem? _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: Septic Tank Holding Tank Cesspool Other: _____
 Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: 500 Gallon 1000 Gallon Unknown Other: _____

Tank Type: Concrete Metal Unknown Other: _____

Location: South side yard OR Unknown

Date installed: 2004+/- Date last pumped: Feb. 2025 Name of pumping company: Berry Plumbing

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem: Septic Inspection in Feb. 2025 showed a clog in septic line. Previous owner had snaked and cleared. No known problems since.

Date of last servicing of tank: Feb. 2025 Name of company servicing tank: Berry Plumbing

Leach Field: Yes No Unknown

If Yes, Location: South Side yard

Date of installation of leach field: 2004+/- Installed by: Unknown

Date of last servicing of leach field: N/A Company servicing leach field: Seller not serviced

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem and what steps were taken to remedy: Seller has had no problems with leach field.

Do you have records of the design indicating the # of bedrooms the system was designed for? Yes No

If Yes, are they available? Yes No

Is System located in a Shoreland Zone? Yes No Unknown

Comments: Home is 3-bedroom septic design.

Source of Section II information: Seller, 2025 septic inspection.

Buyer Initials _____

Seller Initials _____

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	Radiant/Oil	Living Room Fireplace	Two heat pumps	
Age of system(s) or source(s)	2004 +/-	2004 +/-	Unknown	
TYPE(S) of Fuel	Oil	Wood	Electricity	
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	Seller is working on that	Sellers have not used		
Name of company that services system(s) or source(s)	Percy Brown		Dave's World	
Date of most recent service call	Furnace Serviced 2026		Cleaned 2025 +/-	
Malfunctions per system(s) or source(s) within past 2 years	None.			
Other pertinent information	None.		Located in kitchen and living room	

Are there fuel supply lines? Yes No Unknown
 Are any buried? Yes No Unknown
 Are all sleeved? Yes No Unknown
 Chimney(s): Yes No
 If Yes, are they lined: Yes No Unknown
 Is more than one heat source vented through one flue? Yes No Unknown
 Had a chimney fire: Yes No Unknown
 Has chimney(s) been inspected? Yes No Unknown
 If Yes, date: **May 2025**
 Date chimney(s) last cleaned: **Unknown.**
 Direct and/or Power Vent(s): Yes No Unknown
 Has vent(s) been inspected? Yes No Unknown
 If Yes, date: _____

Comments: **Feb. 2025 inspection showed some cracks in chimney liner.**

Source of Section III information: **Prior building inspection, seller's May 2025 building inspection.**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? Yes No Unknown
 If Yes, are tanks in current use? Yes No Unknown
 If no longer in use, how long have they been out of service? _____
 If tanks are no longer in use, have tanks been abandoned according to DEP? Yes No Unknown
 Are tanks registered with DEP? Yes No Unknown
 Age of tank(s): _____ Size of tank(s): _____

Location: **Seller has no knowledge of underground storage tanks.**

Buyer Initials _____ Page 3 of 8 Seller Initials _____

PROPERTY LOCATED AT: 25 Browns Avenue, Sedgwick, ME 04676

What materials are, or were, stored in the tank(s)? _____

Have you experienced any problems such as leakage: Yes No Unknown

Comments: Sellers have no knowledge of any underground tanks on property.

Source of information: Seller, previous disclosure.

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? Yes No Unknown

In the ceilings? Yes No Unknown

In the siding? Yes No Unknown

In the roofing shingles? Yes No Unknown

In flooring tiles? Yes No Unknown

Other: _____ Yes No Unknown

Comments: House built in 2004. No known asbestos.

Source of information: Seller.

C. RADON/AIR - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: 2022 By: Air & Water Quality

Results: Radon level elevated.

If applicable, what remedial steps were taken? Radon mitigation system installed by previous owner,

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: Current owner has not tested for radon.

Source of information: Seller, prior property disclosure.

D. RADON/WATER - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: Feb. 2025 By: A&L Laboratory

Results: 1,137 pCi/L - below EPA guidelines for mitigation.

If applicable, what remedial steps were taken? None taken.

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: None taken.

Source of information: Feb. 2025 water test results.

E. METHAMPHETAMINE - Current or previously existing: Yes No Unknown

Comments: None.

Source of information: Seller, prior property disclosure.

Buyer Initials _____

Page 4 of 8

Seller Initials _____

PROPERTY LOCATED AT: 25 Browns Avenue, Sedgwick, ME 04676

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
..... Yes No Unknown Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: Yes No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? Yes No

Comments: Some flaking paint on trim.

Source of information: Seller.

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: Yes No Unknown

LAND FILL: Yes No Unknown

RADIOACTIVE MATERIAL: Yes No Unknown

Other: _____

Source of information: Seller has no knowledge of any hazardous material on property.

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? Yes No Unknown

If Yes, explain: Deeded right of way over Browns Avenue to Route 15. Restrictive covenants.

Source of information: Deed.

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? Yes No Unknown

If No, who is responsible for maintenance? Browns Road is private.

Road Association Name (if known): Informal associataion.

Source of information: Deed, seller.

Buyer Initials _____

Page 5 of 8

Seller Initials _____

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? Yes No Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? Yes No Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? Yes No Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? Yes No Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? Yes No Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? Yes No Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: 23009C1133D Year: 2016 (Attach a copy)

Comments: Property is Flood Zone X, area of minimal flood hazard.

Source of Section VI information: Seller, FEMA flood mapping.

Buyer Initials _____ Page 6 of 8 Seller Initials _____

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
..... Yes No Unknown

If Yes, explain: _____

Is a Forest Management and Harvest Plan available?..... Yes No Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... Yes No Unknown

If Yes, explain: _____

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: _____

Year Principal Structure Built: 2006 +/- What year did Seller acquire property? 2025

Roof: Year Shingles/Other Installed: 2006 +/-

Water, moisture or leakage: None.

Comments: None.

Foundation/Basement:

Is there a Sump Pump? Yes No Unknown

Water, moisture or leakage since you owned the property: Yes No Unknown

Prior water, moisture or leakage? Yes No Unknown

Comments: No known leakage in basement.

Mold: Has the property ever been tested for mold? Yes No Unknown

If Yes, are test results available? Yes No

Comments: None,

Electrical: Fuses Circuit Breaker Other: _____ Unknown

Comments: Full-house automatic generator.

Has all or a portion of the property been surveyed? Yes No Unknown

If Yes, is the survey available? Yes No Unknown

Manufactured Housing - Is the residence a:

Mobile Home Yes No Unknown

Modular Yes No Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure
..... Yes No Unknown

Comments: April 2025 inspection noted suspected mouse activity in east second floor bedroom above garage.

Buyer Initials _____

Seller Initials _____

PROPERTY LOCATED AT: 25 Browns Avenue, Sedgwick, ME 04676

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: _____

Comments: Non known material defects,

Source of Section VII information: seller, previous disclosure.

SECTION VIII - ADDITIONAL INFORMATION

Water supply from well with cistern system in basement. Full house treatment for uranium, radon and arsenic. Feb. 2025 water test was positive for lead. Test taken from bathroom fixture. Followup test was negative. No GFCi outlets in garage. Inspection showed inadequate firewall protection between garage and living area of house. Some warped shingles noted. Inspector recommends diagonal bracing. Prior building inspection available. New double wall ovens and new washing machine and dryer.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: Yes No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

SELLER _____ DATE _____
Amanda Look

SELLER _____ DATE _____
Josiah Rhys

SELLER _____ DATE _____

SELLER _____ DATE _____

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER _____ DATE _____

BUYER _____ DATE _____

BUYER _____ DATE _____

BUYER _____ DATE _____