

PROPERTY LOCATED AT: 364 Shore Rd., Ellsworth, ME 04605

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Seasonal _____ | Unknown
☐ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
 (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown
 Quantity: ☐ Yes ☒ No ☐ Unknown
 Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☐ Yes ☒ No
 If Yes, Date of most recent test: _____ Are test results available? .. ☐ Yes ☐ No
 To your knowledge, have any test results ever been reported as unsatisfactory
 or satisfactory with notation? ☐ Yes ☒ No
 If Yes, are test results available? ☐ Yes ☒ No
 What steps were taken to remedy the problem? _____

~~IF PRIVATE: (Strike Section if Not Applicable):~~

~~INSTALLATION: Location: _____~~

~~Installed by: _____~~

~~Date of Installation: _____~~

~~USE: Number of persons currently using system: _____~~

~~Does system supply water for more than one household? ☐ Yes ☐ No ☐ Unknown~~

~~Comments: _____~~

Source of Section I information: **Sellers and Public Records**

Buyer Initials _____

Page 1 of 8

Seller Initials

^{DS}
AWS

^{Initial}
RJL

PROPERTY LOCATED AT: 364 Shore Rd., Ellsworth, ME 04605**SECTION II - WASTE WATER DISPOSAL**TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected? ☐ Yes ☒ No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☒ No

What steps were taken to remedy the problem? _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☐ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____
☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))Tank Size: ☐ 500 Gallon ☐ 1000 Gallon ☐ Unknown ☐ Other: _____Tank Type: ☐ Concrete ☐ Metal ☐ Unknown ☐ Other: _____Location: _____ OR ☐ Unknown

Date installed: _____ Date last pumped: _____ Name of pumping company: _____

Have you experienced any malfunctions? ☐ Yes ☐ No

If Yes, give the date and describe the problem: _____

Date of last servicing of tank: _____ Name of company servicing tank: _____

Leach Field: ☐ Yes ☐ No ☐ Unknown

If Yes, Location: _____

Date of installation of leach field: _____ Installed by: _____

Date of last servicing of leach field: _____ Company servicing leach field: _____

Have you experienced any malfunctions? ☐ Yes ☐ No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☐ NoIf Yes, are they available? ☐ Yes ☐ NoIs System located in a Shoreland Zone? ☐ Yes ☐ No ☐ Unknown

Comments: _____

Source of Section II information: **Sellers and Public Records**

Buyer Initials _____

Page 2 of 8

Seller Initials

OS
AWSInitial
RJL

PROPERTY LOCATED AT: **364 Shore Rd., Ellsworth, ME 04605**

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	FHA			
Age of system(s) or source(s)	2024			
TYPE(S) of Fuel	Oil			
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	470 gals +/-			
Name of company that services system(s) or source(s)	Dead River			
Date of most recent service call	2025			
Malfunctions per system(s) or source(s) within past 2 years	See comments			
Other pertinent information	N/A			

Are there fuel supply lines? ☒ Yes ☐ No ☐ Unknown
 Are any buried? ☐ Yes ☒ No ☐ Unknown
 Are all sleeved? ☒ Yes ☐ No ☐ Unknown
 Chimney(s): ☒ Yes ☐ No
 If Yes, are they lined: ☒ Yes ☐ No ☐ Unknown
 Is more than one heat source vented through one flue? ☐ Yes ☒ No ☐ Unknown
 Had a chimney fire: ☐ Yes ☒ No ☐ Unknown
 Has chimney(s) been inspected? ☒ Yes ☐ No ☐ Unknown
 If Yes, date: 2020
 Date chimney(s) last cleaned: N/A

Direct and/or Power Vent(s): ☐ Yes ☒ No ☐ Unknown
 Has vent(s) been inspected? ☐ Yes ☐ No ☐ Unknown
 If Yes, date: _____

Comments: **Furnace burner and blower replaced in 2024. Rear chimney replaced in 2020**

Source of Section III information: **Sellers**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☐ No ☒ Unknown
 If Yes, are tanks in current use? ☐ Yes ☐ No ☒ Unknown
 If no longer in use, how long have they been out of service? _____
 If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☒ Unknown
 Are tanks registered with DEP? ☐ Yes ☐ No ☒ Unknown
 Age of tank(s): _____ Size of tank(s): _____

Location: **There are no known underground storage tanks at the property.**

Buyer Initials _____

Page 3 of 8

Seller Initials

DS
AWS

Initial
RJL

PROPERTY LOCATED AT: 364 Shore Rd., Ellsworth, ME 04605

What materials are, or were, stored in the tank(s)? _____

Have you experienced any problems such as leakage: ☐ Yes ☒ No ☐ UnknownComments: There are no known underground storage tanks at the property.Source of information: Sellers**B. ASBESTOS** - Is there now or has there been asbestos:As insulation on the heating system pipes or duct work? ☐ Yes ☐ No ☒ UnknownIn the ceilings? ☐ Yes ☐ No ☒ UnknownIn the siding? ☐ Yes ☐ No ☒ UnknownIn the roofing shingles? ☐ Yes ☐ No ☒ UnknownIn flooring tiles? ☐ Yes ☐ No ☒ UnknownOther: ☐ Yes ☐ No ☒ UnknownComments: There is no known asbestos at this property.Source of information: Sellers**C. RADON/AIR** - Current or previously existing:Has the property been tested? ☒ Yes ☐ No ☐ UnknownIf Yes: Date: Unknown By: TenantsResults: Unknown to Sellers

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ UnknownAre test results available? ☐ Yes ☐ No

Results/Comments: _____

Source of information: Sellers**D. RADON/WATER** - Current or previously existing:Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ UnknownAre test results available? ☐ Yes ☐ NoResults/Comments: Public WaterSource of information: Sellers and Public Records**E. METHAMPHETAMINE** - Current or previously existing:☐ Yes ☐ No ☒ UnknownComments: There is no known methamphetamine existing at the property.Source of information: Sellers

Buyer Initials _____

Page 4 of 8

Seller Initials

DS
AWSInitial
RJL

PROPERTY LOCATED AT: 364 Shore Rd., Ellsworth, ME 04605

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
 Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? ☒ Yes ☐ No

Comments: Some interior and exterior peeling paint.

Source of information: Sellers

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☐ No ☒ Unknown

LAND FILL: ☐ Yes ☐ No ☒ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☐ No ☒ Unknown

Other: There is no known hazardous materials at the property.

Source of information: Sellers

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: Sellers know of none. Neighbor thinks part of the barn may encroach their property.

Source of information: Sellers

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? _____

Road Association Name (if known): _____

Source of information: Sellers

Buyer Initials _____

Page 5 of 8

Seller Initials

DS
AWS

Initial
RJL

PROPERTY LOCATED AT: **364 Shore Rd., Ellsworth, ME 04605**

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: _____ Year: _____ (Attach a copy)

Comments: _____

Source of Section VI information: **Firmette FEMA Flood Map shows property in Zone X**

Buyer Initials _____

Page 6 of 8

Seller Initials

AWS

RN

PROPERTY LOCATED AT: 364 Shore Rd., Ellsworth, ME 04605

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: N/A

Year Principal Structure Built: 1900 +/- What year did Seller acquire property? 2020

Roof: Year Shingles/Other Installed: 2021

Water, moisture or leakage: No

Comments: _____

Foundation/Basement:

Is there a Sump Pump? ☒ Yes ☐ No ☐ Unknown

Water, moisture or leakage since you owned the property: ☒ Yes ☐ No ☐ Unknown

Prior water, moisture or leakage? ☒ Yes ☐ No ☐ Unknown

Comments: 2023 basement flooded - Sump pump hole was made deeper and problem remediated.

Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ Unknown

If Yes, are test results available? ☐ Yes ☐ No

Comments: _____

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: Knob and tube removed in 2020

Has all or a portion of the property been surveyed? ☐ Yes ☐ No ☒ Unknown

If Yes, is the survey available? ☐ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ Unknown

Modular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

☐ Yes ☒ No ☐ Unknown

Comments: _____

Buyer Initials _____

Page 7 of 8

Seller Initials

DS Initial
AWS RJL

PROPERTY LOCATED AT: 364 Shore Rd., Ellsworth, ME 04605

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: None known

Comments: _____

Source of Section VII information: _____

SECTION VIII - ADDITIONAL INFORMATION

Five new windows (Renewal By Anderson) installed. Barn foundation replaced. New metal roof installed on barn.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

DocuSigned by:
Andrew W. Stephenson 5/18/2026
SELLER DATE
Andrew W. Stephenson

SELLER DATE

Signed by:
Rebecca J. Leamon 5/18/2026
SELLER DATE
Rebecca J. Leamon

SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE

BUYER DATE

BUYER DATE

BUYER DATE



LEAD PAINT DISCLOSURE/ADDENDUMAGREEMENT BETWEEN Andrew W. Stephenson, Rebecca J. Leamon

(hereinafter "Seller")

AND _____

(hereinafter "Buyer")

FOR PROPERTY LOCATED AT 364 Shore Rd., Ellsworth, ME 04605

Said contract is further subject to the following terms:

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure(a) Presence of lead-based paint and/or lead-based paint hazards (**check one below**):

_____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

☒ Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the Seller (**check one below**):

_____ Seller has provided the Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

☒ Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Buyer's Acknowledgment

(c) Buyer has received copies of all information listed above.

(d) Buyer has received the pamphlet Protect Your Family from Lead in Your Home.

(e) Buyer has (**check one below**):

_____ Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

_____ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgment

(f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Buyer _____ Date _____

Buyer _____ Date _____

Buyer _____ Date _____

Buyer _____ Date _____

Agent _____ Date _____

DocuSigned by:

Andrew W. Stephenson

5/18/2026

Seller Andrew W. Stephenson

Date

Rebecca J. Leamon

5/18/2026

Seller Rebecca J. Leamon

Date

Seller _____

Date

DocuSigned by:

Julie Tilden

5/18/2026

Agent Julie Tilden

Date



Maine Association of REALTORS®/Copyright © 2026.

All Rights Reserved. Revised 2023.



LEAD PAINT DISCLOSURE/ADDENDUM

AGREEMENT BETWEEN Andrew W. Stephenson, Rebecca J. Leamon

(hereinafter "Seller")

AND _____

(hereinafter "Buyer")

FOR PROPERTY LOCATED AT 364 Shore Rd., Ellsworth, ME 04605

Said contract is further subject to the following terms:

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure

(a) Presence of lead-based paint and/or lead-based paint hazards (**check one below**):

_____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

☒ Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the Seller (**check one below**):

_____ Seller has provided the Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

☒ Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Buyer's Acknowledgment

(c) Buyer has received copies of all information listed above.

(d) Buyer has received the pamphlet Protect Your Family from Lead in Your Home.

(e) Buyer has (**check one below**):

_____ Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

_____ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgment

(f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Buyer _____ Date _____

Buyer _____ Date _____

Buyer _____ Date _____

Buyer _____ Date _____

Agent _____ Date _____

DocuSigned by:

Andrew W. Stephenson

5/18/2026

Andrew W. Stephenson

Date

Rebecca J. Leamon

5/18/2026

Rebecca J. Leamon

Date

Seller

Date

DocuSigned by:

Julie Tilden

5/18/2026

Julie Tilden

Date



Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised 2023.

