

PROPERTY LOCATED AT: **292 Main Street, Southwest Harbor, ME 04679-4240**

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: Public Private Seasonal _____ Unknown
 Drilled Dug Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): N/A Yes No Unknown
Quantity: Yes No Unknown
Quality: Yes No Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? Yes No
If Yes, Date of most recent test: _____ Are test results available? .. Yes No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? Yes No
If Yes, are test results available? Yes No
What steps were taken to remedy the problem? _____

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: _____
Installed by: _____
Date of Installation: _____

USE: Number of persons currently using system: _____
Does system supply water for more than one household? Yes No Unknown

Comments: **Town water, Town tests quality, Seller has never lived in home**

Source of Section I information: **Seller, Public Records**

Buyer Initials _____ Page 1 of 8 Seller Initials **BM**

PROPERTY LOCATED AT: 292 Main Street, Southwest Harbor, ME 04679-4240

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: Public Private Quasi-Public _____ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... Yes No

If Yes, what results: **The pipe was partially clogged with debris; Sewer line inspected by John Peabody & Son**

Have you experienced any problems such as line or other malfunctions? Yes No

What steps were taken to remedy the problem? Clog removed and pipe reevaluated by JR Anderson. See Section VIII for additional info.

IF PRIVATE (Strike Section if Not Applicable):

Tank: Septic Tank Holding Tank Cesspool Other: _____
 Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: 500 Gallon 1000 Gallon Unknown Other: _____

Tank Type: Concrete Metal Unknown Other: _____

Location: _____ OR Unknown

Date installed: _____ Date last pumped: _____ Name of pumping company: _____

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem: _____

Date of last servicing of tank: _____ Name of company servicing tank: _____

Leach Field: Yes No Unknown

If Yes, Location: _____

Date of installation of leach field: _____ Installed by: _____

Date of last servicing of leach field: _____ Company servicing leach field: _____

Have you experienced any malfunctions? Yes No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? Yes No

If Yes, are they available? Yes No

Is System located in a Shoreland Zone? Yes No Unknown

Comments: **Seller has never lived in home**

Source of Section II information: **Seller, Broker, Public Records**

Buyer Initials _____

Seller Initials ^{Initial} **BM** _____

PROPERTY LOCATED AT: 292 Main Street, Southwest Harbor, ME 04679-4240

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	Forced Hot Air	Heat Pumps (4)		
Age of system(s) or source(s)	Tank Original / Burner 30+/-	2026		
TYPE(S) of Fuel	Oil	Electric		
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	Dead River 290 gallons / seasonal	Unknown (New)		
Name of company that services system(s) or source(s)	HG Reeds	N/A		
Date of most recent service call	November 2025	N/A		
Malfunctions per system(s) or source(s) within past 2 years	None known	None		
Other pertinent information	Oil Tank 10 +/- years	New heat pumps may lessen oil consumption		

- Are there fuel supply lines? Yes No Unknown
- Are any buried? Yes No Unknown
- Are all sleeved? Yes No Unknown
- Chimney(s): Yes No
 - If Yes, are they lined: Yes No Unknown
 - Is more than one heat source vented through one flue? Yes No Unknown
 - Had a chimney fire: Yes No Unknown
 - Has chimney(s) been inspected? Yes No Unknown
 - If Yes, date: _____
 - Date chimney(s) last cleaned: _____
- Direct and/or Power Vent(s): Yes No Unknown
- Has vent(s) been inspected? Yes No Unknown
- If Yes, date: _____

Comments: **Seller has never lived in home**

Source of Section III information: **Seller, Prior Disclosures**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

- A. UNDERGROUND STORAGE TANKS** - Are there now, or have there ever been, any underground storage tanks on the property? Yes No Unknown
- If Yes, are tanks in current use? Yes No Unknown
- If no longer in use, how long have they been out of service? _____
- If tanks are no longer in use, have tanks been abandoned according to DEP? Yes No Unknown
- Are tanks registered with DEP? Yes No Unknown
- Age of tank(s): _____ Size of tank(s): _____
- Location: _____

Buyer Initials _____ Page 3 of 8 Seller Initials Initial
BM _____

PROPERTY LOCATED AT: 292 Main Street, Southwest Harbor, ME 04679-4240

What materials are, or were, stored in the tank(s)? _____

Have you experienced any problems such as leakage: Yes No Unknown

Comments: No known underground storage tanks

Source of information: Seller, Prior Disclosures

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? Yes No Unknown

In the ceilings? Yes No Unknown

In the siding? Yes No Unknown

In the roofing shingles? Yes No Unknown

In flooring tiles? Yes No Unknown

Other: _____ Yes No Unknown

Comments: No known asbestos, Seller has never lived in home

Source of information: Seller, Prior Disclosures

C. RADON/AIR - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: January 28, 2026 By: Green Bridge Home Services, LLC

Results: 2.2 pCi/L

If applicable, what remedial steps were taken? N/A

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: Seller has never lived in home

Source of information: Seller, Inspection Result

D. RADON/WATER - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? Yes No Unknown

Are test results available? Yes No

Results/Comments: Public water supply

Source of information: Seller, Public Records

E. METHAMPHETAMINE - Current or previously existing:

Yes No Unknown

Comments: Seller has never lived in home

Source of information: Seller, Previous Disclosures

Buyer Initials _____

Seller Initials ^{Initial} **BM** _____

PROPERTY LOCATED AT: 292 Main Street, Southwest Harbor, ME 04679-4240

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
..... Yes No Unknown Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: Yes No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? Yes No

Comments: New interior paint, exterior paint updated; Seller has never lived in home

Source of information: Seller, Prior Disclosures

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: Yes No Unknown

LAND FILL: Yes No Unknown

RADIOACTIVE MATERIAL: Yes No Unknown

Other: No known hazardous materials

Source of information: Seller, Prior Disclosure

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? Yes No Unknown

If Yes, explain: _____

Source of information: Seller, Deed

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? Yes No Unknown

If No, who is responsible for maintenance? _____

Road Association Name (if known): _____

Source of information: Seller, Prior Disclosures, Public Records

Buyer Initials _____

Seller Initials Initial
BM _____

PROPERTY LOCATED AT: 292 Main Street, Southwest Harbor, ME 04679-4240

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? Yes No Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? Yes No Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? Yes No Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? Yes No Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? Yes No Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? Yes No Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: 23009C1212D Year: 7/20/2016 (Attach a copy)

Comments: Property in area of minimum flood hazard

Source of Section VI information: FEMA Flood Maps, Prior Disclosures

Buyer Initials _____

Page 6 of 8

Seller Initials

Initial
BM

PROPERTY LOCATED AT: 292 Main Street, Southwest Harbor, ME 04679-4240

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
..... Yes No Unknown

If Yes, explain: _____

Is a Forest Management and Harvest Plan available?..... Yes No Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... Yes No Unknown

If Yes, explain: _____

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: Propane Tank (Dead River)

Year Principal Structure Built: 1926 What year did Seller acquire property? 2026

Roof: Year Shingles/Other Installed: 2005-2006

Water, moisture or leakage: None observed since acquisition

Comments: New roof in 2005; Some roofing shingles replaced in 2026

Foundation/Basement:

Is there a Sump Pump? Yes No Unknown

Water, moisture or leakage since you owned the property: Yes No Unknown

Prior water, moisture or leakage? Yes No Unknown

Comments: Sump pump installed by HG Reeds in 2018

Mold: Has the property ever been tested for mold? Yes No Unknown

If Yes, are test results available? Yes No

Comments: Never tested for mold

Electrical: Fuses Circuit Breaker Other: _____ Unknown

Comments: New electrical work throughout the house in 2003 and 2026

Has all or a portion of the property been surveyed? Yes No Unknown

If Yes, is the survey available? Yes No Unknown

Manufactured Housing - Is the residence a:

Mobile Home Yes No Unknown

Modular Yes No Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... Yes No Unknown

Comments: Seller has never lived in home

Buyer Initials _____

Seller Initials

^{Initial}
BM

PROPERTY LOCATED AT: 292 Main Street, Southwest Harbor, ME 04679-4240

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: None

Comments: Seller has never lived in home

Source of Section VII information: Seller, Prior Disclosures

SECTION VIII - ADDITIONAL INFORMATION

Sewer line - The pipe is clear and fully functioning. The inspection noted groove in the bottom of the cast iron pipe that could collect debris over time. Replacement of that section was suggested as a future maintenance consideration.

See attachment for a summary of upgrades and improvements completed prior to and in 2026.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: Yes No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by:
Barbara McCrum 6/25/2026
SELLER DATE SELLER DATE
Barbara McCrum, Sole Member, She'll Get Her Done LLC

SELLER DATE SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE BUYER DATE

BUYER DATE BUYER DATE

