

PROPERTY LOCATED AT: **29 Folkestone Dr, Bar Harbor, ME 04609**

### PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

**DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**

#### SECTION I - WATER SUPPLY

TYPE OF SYSTEM:  Public  Private  Seasonal \_\_\_\_\_ |  Unknown  
 Drilled  Dug  Other \_\_\_\_\_

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): .....  N/A  Yes  No  Unknown  
Quantity: .....  Yes  No  Unknown  
Quality: .....  Yes  No  Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? .....  Yes  No  
If Yes, Date of most recent test: **07/23/2023** Are test results available? ..  Yes  No  
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? .....  Yes  No  
If Yes, are test results available? .....  Yes  No  
What steps were taken to remedy the problem? **Whole House Arsenic Filter installed 7/23.**

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: **West of house**

Installed by: **unknown**

Date of Installation: **2000**

USE: Number of persons currently using system: **2**

Does system supply water for more than one household?  Yes  No  Unknown

Comments: **Prior seller had point of use arsenic filter. Present owner installed whole house arsenic filter and sediment filter.**

Source of Section I information: **Seller**

Buyer Initials \_\_\_\_\_

Seller Initials

PROPERTY LOCATED AT: 29 Folkestone Dr, Bar Harbor, ME 04609

**SECTION II - WASTE WATER DISPOSAL**

TYPE OF SYSTEM:  Public  Private  Quasi-Public \_\_\_\_\_  Unknown

~~IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):~~

~~Have you had the sewer line inspected?.....  Yes  No~~

~~If Yes, what results: \_\_\_\_\_~~

~~Have you experienced any problems such as line or other malfunctions? .....  Yes  No~~

~~What steps were taken to remedy the problem? \_\_\_\_\_~~

IF PRIVATE (Strike Section if Not Applicable):

Tank:  Septic Tank  Holding Tank  Cesspool  Other: \_\_\_\_\_  
 Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size:  500 Gallon  1000 Gallon  Unknown  Other: \_\_\_\_\_

Tank Type:  Concrete  Metal  Unknown  Other: \_\_\_\_\_

Location: East of House OR  Unknown

Date installed: 2000 Date last pumped: 2025 Name of pumping company: Royal Flush

Have you experienced any malfunctions? .....  Yes  No

~~If Yes, give the date and describe the problem: \_\_\_\_\_~~

*In Process*

Date of last servicing of tank: 2025 Name of company servicing tank: Royal Flush

Leach Field: .....  Yes  No  Unknown

If Yes, Location: East of Septic Tank

Date of installation of leach field: 1999 Installed by: Doug Gott & Sons, Inc.

Date of last servicing of leach field: N/A Company servicing leach field: N/A

Have you experienced any malfunctions? .....  Yes  No

~~If Yes, give the date and describe the problem and what steps were taken to remedy: \_\_\_\_\_~~

Do you have records of the design indicating the # of bedrooms the system was designed for?  Yes  No

If Yes, are they available? .....  Yes  No

Is System located in a Shoreland Zone? .....  Yes  No  Unknown

Comments: When tank was pumped in 2025 it was also inspected. No defects at that time.

Source of Section II information: Seller

Buyer Initials \_\_\_\_\_

Seller Initials  

PROPERTY LOCATED AT: 29 Folkestone Dr, Bar Harbor, ME 04609

**SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)**

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	<del>SYSTEM 3</del>	<del>SYSTEM 4</del>
TYPE(S) of System	HWBB	wood stove		
Age of system(s) or source(s)	2000	2000		
TYPE(S) of Fuel	Oil	Wood		
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	916 gal/yr when last used year round (2019)	Minimal Use		
Name of company that services system(s) or source(s)	Dead River-Annually	N/A		
Date of most recent service call	02/16/2026	N/A		
Malfunctions per system(s) or source(s) within past 2 years	None	None		
Other pertinent information	Home used mostly seasonally since 2020	None		

- Are there fuel supply lines? .....  Yes  No  Unknown
- Are any buried? .....  Yes  No  Unknown
- Are all sleeved? .....  Yes  No  Unknown
- Chimney(s): .....  Yes  No
- If Yes, are they lined: .....  Yes  No  Unknown
- Is more than one heat source vented through one flue? .....  Yes  No  Unknown
- Had a chimney fire: .....  Yes  No  Unknown
- Has chimney(s) been inspected? .....  Yes  No  Unknown
- If Yes, date: 2018
- Date chimney(s) last cleaned: 2018
- Direct and/or Power Vent(s): .....  Yes  No  Unknown
- Has vent(s) been inspected? .....  Yes  No  Unknown
- If Yes, date: \_\_\_\_\_

Comments: **Prior Seller had chimney inspected by Atlantic Chimney Service**

Source of Section III information: **Seller and Previous Seller's Information**

**SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

- A. UNDERGROUND STORAGE TANKS** - Are there now, or have there ever been, any underground storage tanks on the property? .....  Yes  No  Unknown
- ~~If Yes, are tanks in current use? .....  Yes  No  Unknown~~
- ~~If no longer in use, how long have they been out of service? \_\_\_\_\_~~
- ~~If tanks are no longer in use, have tanks been abandoned according to DEP?  Yes  No  Unknown~~
- ~~Are tanks registered with DEP?  Yes  No  Unknown~~
- ~~Age of tank(s): \_\_\_\_\_ Size of tank(s): \_\_\_\_\_~~

Location: \_\_\_\_\_

Buyer Initials \_\_\_\_\_

Seller Initials AR CRK

PROPERTY LOCATED AT: 29 Folkestone Dr, Bar Harbor, ME 04609

~~What materials are, or were, stored in the tank(s)?~~ \_\_\_\_\_

~~Have you experienced any problems such as leakage:  Yes  No  Unknown~~

Comments: None

Source of information: Seller

**B. ASBESTOS** - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? .....  Yes  No  Unknown

In the ceilings? .....  Yes  No  Unknown

In the siding? .....  Yes  No  Unknown

In the roofing shingles? .....  Yes  No  Unknown

In flooring tiles? .....  Yes  No  Unknown

Other: \_\_\_\_\_  Yes  No  Unknown

Comments: None

Source of information: Seller

**C. RADON/AIR** - Current or previously existing:

Has the property been tested? .....  Yes  No  Unknown

If Yes: Date: March 2020 By: Michael Chaisson

Results: 1.9 pCi/L

If applicable, what remedial steps were taken? N/A

~~Has the property been tested since remedial steps? .....  Yes  No  Unknown~~

~~Are test results available? .....  Yes  No~~

Results/Comments: Radon air test results well below remediation level

Source of information: Seller

**D. RADON/WATER** - Current or previously existing:

Has the property been tested? .....  Yes  No  Unknown

If Yes: Date: 2004 By: Downeast Home Inspection

Results: 1691 pCi/L

If applicable, what remedial steps were taken? N/A

~~Has the property been tested since remedial steps? .....  Yes  No  Unknown~~

~~Are test results available? .....  Yes  No~~

Results/Comments: Radon water was tested by prior owner

Source of information: Seller and Prior Seller Disclosure

**E. METHAMPHETAMINE** - Current or previously existing:  Yes  No  Unknown

Comments: None

Source of information: Seller

Buyer Initials \_\_\_\_\_

Seller Initials  

PROPERTY LOCATED AT: 29 Folkestone Dr, Bar Harbor, ME 04609

**F. LEAD-BASED PAINT/PAINT HAZARDS** - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? .....  
..... Yes  No  Unknown  Unknown (but possible due to age)

~~If Yes, describe location and basis for determination:~~ \_\_\_\_\_

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards:  Yes  No

~~If Yes, describe:~~ \_\_\_\_\_

Are you aware of any cracking, peeling or flaking paint? .....  Yes  No

Comments: None

Source of information: Seller

**G. OTHER HAZARDOUS MATERIALS** - Current or previously existing:

TOXIC MATERIAL: .....  Yes  No  Unknown

LAND FILL: .....  Yes  No  Unknown

RADIOACTIVE MATERIAL: .....  Yes  No  Unknown

Other: N/A

Source of information: Seller

**Buyers are encouraged to seek information from professionals regarding any specific issue or concern.**

**SECTION V - ACCESS TO THE PROPERTY**

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? .....  Yes  No  Unknown

~~If Yes, explain:~~ \_\_\_\_\_

~~Source of information:~~ \_\_\_\_\_

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? .....  Yes  No  Unknown

~~If No, who is responsible for maintenance?~~ \_\_\_\_\_


~~Road Association Name (if known):~~ \_\_\_\_\_

Source of information: Seller

Buyer Initials \_\_\_\_\_

Seller Initials





PROPERTY LOCATED AT: 29 Folkestone Dr, Bar Harbor, ME 04609

**SECTION VI – FLOOD HAZARD**

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? .....  Yes  No  Unknown

~~If Yes, explain:~~ \_\_\_\_\_

Have any flood events affected a structure on the property? .....  Yes  No  Unknown

~~If Yes, explain:~~ \_\_\_\_\_

Has any flood-related damage to a structure occurred on the property? .....  Yes  No  Unknown

~~If Yes, explain:~~ \_\_\_\_\_

Has there been any flood insurance claims filed for a structure on the property? .....  Yes  No  Unknown

~~If Yes, indicate the dates of each claim:~~ \_\_\_\_\_

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? .....  Yes  No  Unknown

~~If Yes, indicate the date of each payment:~~ \_\_\_\_\_

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? .....  Yes  No  Unknown

~~If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?~~ \_\_\_\_\_

Relevant Panel Number: \_\_\_\_\_ Year: \_\_\_\_\_ (Attach a copy)


Comments: **None- Property is not in a FEMA Flood Zone**

Source of Section VI information: **Fema**

Buyer Initials \_\_\_\_\_

Seller Initials





PROPERTY LOCATED AT: 29 Folkestone Dr, Bar Harbor, ME 04609

**SECTION VII - GENERAL INFORMATION**

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....  
.....  Yes  No  Unknown

~~If Yes, explain:~~ \_\_\_\_\_

~~Is a Forest Management and Harvest Plan available?  Yes  No  Unknown~~

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?.....  Yes  No  Unknown

~~If Yes, explain:~~ \_\_\_\_\_

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: N/A

Year Principal Structure Built: 1999 What year did Seller acquire property? 2020

Roof: Year Shingles/Other Installed: 2018

Water, moisture or leakage: Yes- at chimney due to flashing issue. Was repaired by prior seller.

Comments: Chimney flashing leak in 2018, which was repaired when roof was resingled.

Foundation/Basement:

Is there a Sump Pump? .....  Yes  No  Unknown

Water, moisture or leakage since you owned the property: .....  Yes  No  Unknown

Prior water, moisture or leakage? .....  Yes  No  Unknown

Comments: Well pressure tank sweats when weather is humid.

Mold: Has the property ever been tested for mold? .....  Yes  No  Unknown

~~If Yes, are test results available? .....  Yes  No~~

Comments: None

Electrical:  Fuses  Circuit Breaker  Other: \_\_\_\_\_  Unknown

Comments: None

Has all or a portion of the property been surveyed? .....  Yes  No  Unknown

If Yes, is the survey available? .....  Yes  No  Unknown

Manufactured Housing - Is the residence a:

Mobile Home .....  Yes  No  Unknown

Modular .....  Yes  No  Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

.....  Yes  No  Unknown

Comments: None

Buyer Initials \_\_\_\_\_

Seller Initials AR CWR

PROPERTY LOCATED AT: 29 Folkestone Dr, Bar Harbor, ME 04609

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: Some wall-to-wall carpeting needs replacing.

Comments: None

Source of Section VII information: Seller

**SECTION VIII - ADDITIONAL INFORMATION**

None

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: .....  Yes  No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by:  7/6/2026  
SELLER BBE9867C728B45C... DATE  
**Alan R. Restell**

Signed by:  7/6/2026  
SELLER BBE9867C728B45C... DATE  
**Christine V. Restell**

SELLER \_\_\_\_\_ DATE \_\_\_\_\_

SELLER \_\_\_\_\_ DATE \_\_\_\_\_

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER \_\_\_\_\_ DATE \_\_\_\_\_

BUYER \_\_\_\_\_ DATE \_\_\_\_\_

BUYER \_\_\_\_\_ DATE \_\_\_\_\_

BUYER \_\_\_\_\_ DATE \_\_\_\_\_

