

PROPERTY LOCATED AT: 87 Harborside Road, Mount Desert, ME 04662

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: ☐ Public ☐ Private ☐ Seasonal _____ ☐ Unknown
☒ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
(public/private/other) water system?

Pump (if any): _____ ☐ N/A ☐ Yes ☐ No ☒ Unknown
Quantity: _____ ☐ Yes ☐ No ☒ Unknown
Quality: _____ ☐ Yes ☐ No ☒ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? _____ ☐ Yes ☒ No
If Yes, Date of most recent test: _____ Are test results available? .. ☐ Yes ☐ No
To your knowledge, have any test results ever been reported as unsatisfactory
or satisfactory with notation? _____ ☐ Yes ☐ No
If Yes, are test results available? _____ ☐ Yes ☐ No
What steps were taken to remedy the problem? _____

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: under basement storage area N/W corner

Installed by: _____

Date of Installation: _____

USE: Number of persons currently using system: _____

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of Section I information: previous disclosure, caretaker, homeowner, broker

Buyer Initials _____

Page 1 of 8

Seller Initials HR TR

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Quasi-Public ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected? ☐ Yes ☒ No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☒ No

What steps were taken to remedy the problem? _____

~~IF PRIVATE (Strike Section if Not Applicable):~~

Tank: ☐ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____
☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: ☐ 500 Gallon ☐ 1000 Gallon ☐ Unknown ☐ Other: _____

Tank Type: ☐ Concrete ☐ Metal ☐ Unknown ☐ Other: _____

Location: _____ OR ☐ Unknown

Date installed: _____ Date last pumped: _____ Name of pumping company: _____

Have you experienced any malfunctions? ☐ Yes ☐ No

If Yes, give the date and describe the problem: _____

Date of last servicing of tank: _____ Name of company servicing tank: _____

Leach Field: ☐ Yes ☐ No ☐ Unknown

If Yes, Location: _____

Date of installation of leach field: _____ Installed by: _____

Date of last servicing of leach field: _____ Company servicing leach field: _____

Have you experienced any malfunctions? ☐ Yes ☐ No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☐ No

If Yes, are they available? ☐ Yes ☐ No

Is System located in a Shoreland Zone? ☐ Yes ☐ No ☐ Unknown

Comments: _____

Source of Section II information: previous disclosure, caretaker, homeowner, broker

Buyer Initials _____

Page 2 of 8

Seller Initials HR JR

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	<u>propane</u>			
Age of system(s) or source(s)				
TYPE(S) of Fuel				
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	<u>Property has been used seasonally</u>	<u>See attached fuel delivery history</u>		
Name of company that services system(s) or source(s)	<u>Graves Plumbing</u>			
Date of most recent service call				
Malfunctions per system(s) or source(s) within past 2 years				
Other pertinent information				

Are there fuel supply lines? ☒ Yes ☐ No ☐ UnknownAre any buried? ☒ Yes ☐ No ☐ UnknownAre all sleeved? ☒ Yes ☐ No ☐ UnknownChimney(s): ☐ Yes ☐ NoIf Yes, are they lined: ☐ Yes ☐ No ☐ UnknownIs more than one heat source vented through one flue? ☐ Yes ☐ No ☒ UnknownHad a chimney fire: ☐ Yes ☐ No ☒ UnknownHas chimney(s) been inspected? ☐ Yes ☐ No ☒ Unknown

If Yes, date: _____

Date chimney(s) last cleaned: _____

Direct and/or Power Vent(s): ☐ Yes ☐ No ☐ UnknownHas vent(s) been inspected? ☐ Yes ☐ No ☐ Unknown

If Yes, date: _____

Comments: _____

Source of Section III information: _____

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☒ Yes ☐ No ☐ UnknownIf Yes, are tanks in current use? ☐ Yes ☒ No ☐ UnknownIf no longer in use, how long have they been out of service? removed 12-1-1989If tanks are no longer in use, have tanks been abandoned according to DEP? ☒ Yes ☐ No ☐ UnknownAre tanks registered with DEP? ☒ Yes ☐ No ☐ Unknown

Age of tank(s): _____ Size of tank(s): _____

Location: _____

Buyer Initials _____

Page 3 of 8

Seller Initials HR JR

Coastal Energy
PO Box 1648
Ellsworth ME 04605
207-664-1901

Delivery History

August 05, 2026

DELIVERY HISTORY

Howard Rosenbloom
2770 South Ocean Blvd. #S-602
Palm Beach, FL 33480

Account Number

107225

Delivery Address: Howard Rosenbloom
87 Harborside Road
Northeast Harbor, Me 04662

DATE	REF NUM	Quantity	REFERENCE	PRICE	TAXES	TOTAL
2/8/24	1262737	276.8	LP GAS #7	\$3.45	\$0.00	\$954.96
8/28/24	1275133	253.4	LP GAS #7	\$3.23	\$0.00	\$818.48
12/23/24	1285174	228.4	LP GAS #7	\$3.40	\$0.00	\$776.56
2/3/25	1290820	210.7	LP GAS #7	\$3.80	\$0.00	\$800.66
3/18/25	1295935	71.4	LP GAS #7	\$3.45	\$0.00	\$246.33
4/21/25	1298906	193.5	LP GAS #7	\$3.32	\$0.00	\$642.42
1/6/26	1314333	297.4	LP GAS #7	\$3.42	\$0.00	\$1,017.11
2/27/26	1320838	271.1	LP GAS #7	\$3.50	\$0.00	\$948.85
Totals:	8	1,802.7		\$3.44226	\$0.00	\$6,205.37

FUEL TAX SUMMARY:

Tax	Tax Total
Totals:	\$0.00

PROPERTY LOCATED AT: 87 Harborside Road, Mount Desert, ME 04662

What materials are, or were, stored in the tank(s)? #2 fuel

Have you experienced any problems such as leakage: ☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of information: Dept of environmental protection, previous disclosure, caretaker, homeowner, broker

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ☐ Yes ☐ No ☒ Unknown

In the ceilings? ☐ Yes ☐ No ☒ Unknown

In the siding? ☐ Yes ☐ No ☒ Unknown

In the roofing shingles? ☐ Yes ☐ No ☒ Unknown

In flooring tiles? ☐ Yes ☒ No ☐ Unknown

Other: ☐ Yes ☐ No ☒ Unknown

Comments: _____

Source of information: previous disclosure, caretaker, homeowner, broker

C. RADON/AIR - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☐ No

Results/Comments: _____

Source of information: homeowner

D. RADON/WATER - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☐ No

Results/Comments: _____

Source of information: homeowner

E. METHAMPHETAMINE - Current or previously existing:

☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of information: previous disclosures, homeowner, caretaker, broker

Buyer Initials _____

Page 4 of 8

Seller Initials HR

JR

PROPERTY LOCATED AT: 87 Harborside Road, Mount Desert, ME 04662

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
..... Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? ☒ Yes ☐ No

Comments: _____

Source of information: previous disclosure, caretaker, homeowner, broker

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☐ No ☒ Unknown

LAND FILL: ☐ Yes ☐ No ☒ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☐ No ☒ Unknown

Other: _____

Source of information: previous disclosure, caretaker, homeowner, broker

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Source of information: _____

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? _____

Road Association Name (if known): _____

Source of information: _____

Buyer Initials _____

Page 5 of 8

Seller Initials HR JR

SECTION VI—FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map? _____

Relevant Panel Number: 23009C1216D Year: 7/20/2016 (Attach a copy)

Comments: _____

Source of Section VI information: Federal Emergency Management Agency, homeowner

Buyer Initials _____

Page 6 of 8

Seller Initials HR

JR

PROPERTY LOCATED AT: 87 Harborside Road, Mount Desert, ME 04662

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☐ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☐ No ☐ Unknown

If Yes, explain: _____

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: _____

Year Principal Structure Built: 1960 What year did Seller acquire property? 2009

Roof: Year Shingles/Other Installed: _____

Water, moisture or leakage: _____

Comments: _____

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☐ No ☐ Unknown

Water, moisture or leakage since you owned the property: ☐ Yes ☐ No ☐ Unknown

Prior water, moisture or leakage? ☐ Yes ☐ No ☐ Unknown

Comments: _____

Mold: Has the property ever been tested for mold? ☐ Yes ☐ No ☐ Unknown

If Yes, are test results available? ☐ Yes ☐ No

Comments: _____

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: _____

Has all or a portion of the property been surveyed? ☐ Yes ☐ No ☐ Unknown

If Yes, is the survey available? ☐ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ Unknown

Modular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☐ No ☐ Unknown

Comments: _____

Buyer Initials _____

Page 7 of 8

Seller Initials

JR

HR

PROPERTY LOCATED AT: 87 Harborside Road, Mount Desert, ME 04662
KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: _____

Comments: _____

Source of Section VII information: _____

SECTION VIII - ADDITIONAL INFORMATION

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☐ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

JOANNE ROSENBLOOM
SELLER _____ DATE _____
Joanne Rosenbloom

HOWARD ROSENBLOOM
SELLER _____ DATE _____
Howard Rosenbloom

SELLER _____ DATE _____

SELLER _____ DATE _____

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER _____ DATE _____

BUYER _____ DATE _____


BUYER _____ DATE _____

BUYER _____ DATE _____

National Flood Hazard Layer FIRMeTte



68°17'23"W 44°18'18"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS

	Without Base Flood Elevation (BFE) Zone A, V, A99
	With BFE or Depth Zone AE, AO, AH, VE, AR
	Regulatory Floodway

0.2% Annual Chance Flood Hazard, Area of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X

Future Conditions 1% Annual Chance Flood Hazard Zone X

Area with Reduced Flood Risk due to Levee, See Notes, Zone X

OTHER AREAS OF FLOOD HAZARD

Area with Flood Risk due to Levee Zone D

OTHER AREAS

	NO SCREEN	Area of Minimal Flood Hazard Zone X
	Effective LOMRs	
	Area of Undetermined Flood Hazard Zone	

GENERAL STRUCTURES

	Channel, Culvert, or Storm Sewer
	Levee, Dike, or Floodwall

OTHER FEATURES

	Cross Sections with 1% Annual Chance Water Surface Elevation
	Coastal Transect
	Base Flood Elevation Line (BFE)
	Limit of Study
	Jurisdiction Boundary
	Coastal Transect Baseline
	Profile Baseline
	Hydrographic Feature

MAP PANELS

	Digital Data Available
	No Digital Data Available
	Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **3/21/2026 at 7:37 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

LEAD PAINT DISCLOSURE/ADDENDUM

AGREEMENT BETWEEN Joanne Rosenbloom, Howard Rosenbloom

(hereinafter "Seller")

AND _____

(hereinafter "Buyer")

FOR PROPERTY LOCATED AT 87 Harborside Road, Mount Desert, ME 04662

Said contract is further subject to the following terms:

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure

☒ (a) Presence of lead-based paint and/or lead-based paint hazards (**check one below**):

Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

Due to the age of the home lead based paint or lead based paint hazards may be present

☐ Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

☐ (b) Records and reports available to the Seller (**check one below**):

Seller has provided the Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

☒ Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Buyer's Acknowledgment

☐ (c) Buyer has received copies of all information listed above.

☐ (d) Buyer has received the pamphlet Protect Your Family from Lead in Your Home.

☐ (e) Buyer has (**check one below**):

☐ Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

☐ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgment

☐ (f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Buyer _____ Date _____

Buyer _____ Date _____

Buyer _____ Date _____

Buyer _____ Date _____

Agent _____ Date _____

Joanne Rosenbloom
Seller Joanne Rosenbloom Date _____

Howard Rosenbloom
Seller Howard Rosenbloom Date _____

Seller _____ Date _____

Seller Katrina Carter Date _____

Agent Katrina Carter Date _____



Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised 2023.





STATE OF MAINE

DEPARTMENT OF ENVIRONMENTAL PROTECTION

FACILITY REGISTRATION CERTIFICATE FOR
Underground Storage Tank

Please display this certificate in a visible location at the registered facility.

For Brokers

Date of Certificate:

June 19, 2006

Facility:

BELGEDDES, BARBARA
RT 198
MOUNT DESERT

Facility Registration Number:

16622

Date of Registration:

December 28, 1989

Facility Phone:

0-

Operator:

BELGEDDES, BARBARA
NORTHEAST HARBOR
NORTHEAST HARBOR
ME 04662

Sensitive Area Status:

Facility Use:

Single Residence

Owner:

BELGEDDES, BARBARA
RT 198
NORTHEAST HARBOR
ME 04662

USTs ONLY

Number of Active Tanks:

If the information on this form is accurate and complete, please retain for your records.

The Maine Department of Environmental Protection must be notified of any errors or changes in the information on this form. To accomplish this, please draw a line through the incorrect or outdated information, insert the correct information, and return this form to:

Department of Environmental Protection Bureau of Remediation and Waste Management
State House Station # 17 Augusta, ME 04333

Attn: Underground Tanks Program

If you have any questions concerning this process, please call (207)287-2651 and ask for the administrator of the Underground Storage Tanks program.