SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Maine Department of Human Services
Division of Health Engineering, Station 10
(207) 287-5672 Fax: (207) 287-3165


Town, City, Plantation: Milbridge

Street, Road, Subdivision: Rays Point Road

Owner or Applicant Name: Karen Perjon David Mamme

SITE PLAN

Scale: 1" = 40 ft.



SITE LOCATION MAP

(Attach map from Maine Atlas for First Time System Variance)

SOIL PROFILE DESCRIPTION AND CLASSIFICATION (Location of Observation Holes Shown Above)

Observation Hole # 1 ■ Test Pit ☐ Boring

1" Depth of organic horizon above mineral soil

Depth below mineral soil surface (inches)	Texture	Consistency	Color	Mottling
0	Fine Sandy Loam	Friable	Brown	
6			Red Brown	
12				15" Bar
18			Olive Brown	
24				
30				
36				
42				
48				

Soil Profile	Classification Condition	Slope Percent	Limiting Factor Depth	
2	C	0	15	■ Groundwater ☐ Restrictive Layer ☐ Bedrock

Observation Hole # ____ ☐ Test Pit ☐ Boring

" Depth of organic horizon above mineral soil

Depth below mineral soil surface (inches)	Texture	Consistency	Color	Mottling
0				
6				
12				
18				
24				
30				
36				
42				
48				

Soil Profile	Classification Condition	Slope Percent	Limiting Factor Depth	
				☐ Groundwater ☐ Restrictive Layer ☐ Bedrock

Site Evaluator Signature

#280
SE #

6/2/04
Date

MS


SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Maine Department of Human Services
Division of Health Engineering, Station 10
(207) 287-5672 Fax: (207) 287-3165

Town, City, Plantation: Milbridge | Street, Road, Subdivision: Rays Point Road | Owner or Applicant Name: Karen Berjon + David Mamme

SUBSURFACE WASTEWATER DISPOSAL PLAN

Scale: 1" = 20 ft.



BACKFILL REQUIREMENTS

Depth of Backfill (upslope): 24"
Depth of Backfill (downslope): 24"
DEPTHS AT CROSS-SECTION (shown below)

CONSTRUCTION ELEVATIONS

Finished Grade Elevation: 23"
Top of Distribution Pipe ~~or Proprietary Device~~: -35"
Bottom of ~~Disposal Field~~ Pipe: -47"


ELEVATION REFERENCE POINT

Location & Description: Flagged nail in 2 - 8" Spruce Trees
Reference Elevation is: 0.0" or: _____

DISPOSAL FIELD CROSS-SECTION

Scales: Vertical: 1" = 10 ft. Horizontal: 1" = 10 ft.

Cration and seed with herbaceous perennial grasses.
Extend fill 3 beyond Edge of pipe then carry to grade at 4:1 Slope



6" Sand under and over Pipe
12" Sand around Pipe
Use only PRESBY Enviro Septic Pipes Spaced 2' center to center

Robert Eastler — Site Evaluator Signature
#280 — SE #
6/2/04 — Date

10 CMR 241 (October 1, 2002)