

PROPERTY LOCATED AT: **283 Clark Point Road, Tremont, ME 04612****PROPERTY DISCLOSURE**

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**SECTION I - WATER SUPPLY**

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal ---- ☐ Unknown
☐ Drilled ☐ Dug ☐ Other ----

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
 (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown
 Quantity: ☐ Yes ☒ No ☐ Unknown
 Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☒ Yes ☐ No
 If Yes, Date of most recent test: **not recent** Are test results available? .. ☐ Yes ☒ No
 To your knowledge, have any test results ever been reported as unsatisfactory
 or satisfactory with notation? ☒ Yes ☐ No
 If Yes, are test results available? ☐ Yes ☒ No
 What steps were taken to remedy the problem? **UV water filter installed**

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: **West side of house**

Installed by: **Unknown**

Date of Installation: **Unknown**

USE: Number of persons currently using system: **2**

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: **Whole house UV water filter; changed annually**

Source of Section I information: **Seller**

Buyer Initials _____

Page 1 of 8

Seller Initials

RR

PROPERTY LOCATED AT: 283 Clark Point Road, Tremont, ME 04612**SECTION II - WASTE WATER DISPOSAL**TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public ----- ☐ Unknown~~IF PUBLIC OR QUASI PUBLIC (Strike Section if Not Applicable):~~~~Have you had the sewer line inspected? ☐ Yes ☐ No~~~~If Yes, what results: -----~~~~Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No~~~~What steps were taken to remedy the problem? -----~~

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: ----
☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: ----Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: ----Location: Eastern middle yard OR ☐ UnknownDate installed: Unknown Date last pumped: 2023 Name of pumping company: Royal FlushHave you experienced any malfunctions? ☐ Yes ☒ NoIf Yes, give the date and describe the problem: ----Date of last servicing of tank: ---- Name of company servicing tank: ----Leach Field: ☒ Yes ☐ No ☐ UnknownIf Yes, Location: Southeastern yardDate of installation of leach field: Unknown Installed by: UnknownDate of last servicing of leach field: ----- Company servicing leach field: ----Have you experienced any malfunctions? ☒ Yes ☐ NoIf Yes, give the date and describe the problem and what steps were taken to remedy: Lift pump replacedapproximately two years agoDo you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☒ NoIf Yes, are they available? ☐ Yes ☐ NoIs System located in a Shoreland Zone? ☐ Yes ☒ No ☐ UnknownComments: ----Source of Section II information: Seller and BrokerBuyer Initials -----

Page 2 of 8

Seller Initials RR

PROPERTY LOCATED AT: 283 Clark Point Road, Tremont, ME 04612**SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)**

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	HWBB/Radiators		---	---
Age of system(s) or source(s)	Unknown		---	---
TYPE(S) of Fuel	Oil	Propane	---	---
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	391 gallons last year	47 gallons last year	---	---
Name of company that services system(s) or source(s)	Dead River	Dead River	---	---
Date of most recent service call	Annual Service		---	---
Malfunctions per system(s) or source(s) within past 2 years	---		---	---
Other pertinent information	Buderus furnace	Generator	---	---

Are there fuel supply lines? ☒ Yes ☐ No ☐ UnknownAre any buried? ☐ Yes ☒ No ☐ UnknownAre all sleeved? ☒ Yes ☐ No ☐ UnknownChimney(s): ☒ Yes ☐ NoIf Yes, are they lined: ☐ Yes ☒ No ☐ UnknownIs more than one heat source vented through one flue? ☐ Yes ☒ No ☐ UnknownHad a chimney fire: ☐ Yes ☒ No ☐ UnknownHas chimney(s) been inspected? ☐ Yes ☒ No ☐ Unknown

If Yes, date: _____

Date chimney(s) last cleaned: 2000Direct and/or Power Vent(s): ☒ Yes ☐ No ☐ UnknownHas vent(s) been inspected? ☐ Yes ☐ No ☒ Unknown

If Yes, date: _____

Comments: **Top of chimney rebuilt in 2000**Source of Section III information: **Seller and broker****SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any undergroundstorage tanks on the property? ☐ Yes ☐ No ☒ UnknownIf Yes, are tanks in current use? ☐ Yes ☐ No ☐ UnknownIf no longer in use, how long have they been out of service? ---If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☐ UnknownAre tanks registered with DEP? ☐ Yes ☐ No ☐ UnknownAge of tank(s): --- Size of tank(s): ---Location: ---

Buyer Initials _____

Page 3 of 8

Seller Initials Initial DS R R e

PROPERTY LOCATED AT: 283 Clark Point Road, Tremont, ME 04612What materials are, or were, stored in the tank(s)? ----Have you experienced any problems such as leakage: ☐ Yes ☐ No ☐ UnknownComments: ----Source of information: Seller**B. ASBESTOS** - Is there now or has there been asbestos:As insulation on the heating system pipes or duct work? ☐ Yes ☒ No ☐ UnknownIn the ceilings? ☐ Yes ☒ No ☐ UnknownIn the siding? ☐ Yes ☒ No ☐ UnknownIn the roofing shingles? ☐ Yes ☒ No ☐ UnknownIn flooring tiles? ☐ Yes ☒ No ☐ UnknownOther: ---- ☐ Yes ☒ No ☐ UnknownComments: ----Source of information: Seller**C. RADON/AIR** - Current or previously existing:Has the property been tested? ☐ Yes ☐ No ☒ UnknownIf Yes: Date: ---- By: ----Results: ----If applicable, what remedial steps were taken? ----Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ UnknownAre test results available? ☐ Yes ☐ NoResults/Comments: ----Source of information: Seller**D. RADON/WATER** - Current or previously existing:Has the property been tested? ☐ Yes ☐ No ☒ UnknownIf Yes: Date: ---- By: ----Results: ----If applicable, what remedial steps were taken? ----Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ UnknownAre test results available? ☐ Yes ☐ NoResults/Comments: ----Source of information: Seller**E. METHAMPHETAMINE** - Current or previously existing:☐ Yes ☒ No ☐ UnknownComments: ----Source of information: SellerBuyer Initials

Page 4 of 8

Seller Initials

RS RS RS

PROPERTY LOCATED AT: 283 Clark Point Road, Tremont, ME 04612**F. LEAD-BASED PAINT/PAINT HAZARDS** - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
☐ Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)If Yes, describe location and basis for determination: ----Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ NoIf Yes, describe: ----Are you aware of any cracking, peeling or flaking paint? ☐ Yes ☒ NoComments: ----Source of information: Seller**G. OTHER HAZARDOUS MATERIALS** - Current or previously existing:TOXIC MATERIAL: ☐ Yes ☒ No ☐ UnknownLAND FILL: ☐ Yes ☒ No ☐ UnknownRADIOACTIVE MATERIAL: ☐ Yes ☒ No ☐ UnknownOther: ----Source of information: Seller**Buyers are encouraged to seek information from professionals regarding any specific issue or concern.****SECTION V - ACCESS TO THE PROPERTY**Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: ----Source of information: SellerIs access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ UnknownIf No, who is responsible for maintenance? ----Road Association Name (if known): ---Source of information: Seller

Buyer Initials _____

Page 5 of 8

Seller Initials

PROPERTY LOCATED AT: 283 Clark Point Road, Tremont, ME 04612**SECTION VI – FLOOD HAZARD**

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: ---

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: ---

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: ---

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: ---

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: ---

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: 230298 Year: 7/20/16 (Attach a copy)

Comments: -----

Source of Section VI information: Seller, FEMA

Buyer Initials _____

Page 6 of 8

Seller Initials

PROPERTY LOCATED AT: 283 Clark Point Road, Tremont, ME 04612**SECTION VII - GENERAL INFORMATION**

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
 ☒ Yes ☐ No ☐ Unknown

If Yes, explain: Homestead ExemptionIs a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: ----Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: Propane tank - Dead RiverYear Principal Structure Built: 1900 What year did Seller acquire property? 1996Roof: Year Shingles/Other Installed: May, 2026 - Main House; Winter, 2025 - Studio/ShopWater, moisture or leakage: ----Comments: ----

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ UnknownWater, moisture or leakage since you owned the property: ☐ Yes ☒ No ☐ UnknownPrior water, moisture or leakage? ☐ Yes ☒ No ☐ UnknownComments: -----Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ UnknownIf Yes, are test results available? ☐ Yes ☐ NoComments: ----Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: ---- ☐ UnknownComments: ----Has all or a portion of the property been surveyed? ☐ Yes ☐ No ☒ UnknownIf Yes, is the survey available? ☐ Yes ☐ No ☒ Unknown


Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ UnknownModular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☒ No ☐ UnknownComments: ----Buyer Initials -----

Page 7 of 8

Seller Initials 

PROPERTY LOCATED AT: 283 Clark Point Road, Tremont, ME 04612

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: None known

Comments: ----

Source of Section VII information: Seller

SECTION VIII - ADDITIONAL INFORMATION

Working whirlpool tub in bath; Outside sauna next to main house; Studio has an outdoor shower; Deer fence encloses gardens completely; Storage shed abutting shop/studio hidden behind cedar door currently used as storage that could work as a small one-car garage.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by: Renn Richman Campbell 9/21/2026
SELLER 871E86E1B4344FF... DATE
Renn Richman Campbell

DocuSigned by: Gordon Campbell 9/21/2026
SELLER 5E159854CE134DD... DATE
Gordon Campbell

SELLER _____ DATE _____

SELLER _____ DATE _____

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER _____ DATE _____

BUYER _____ DATE _____

BUYER _____ DATE _____

BUYER _____ DATE _____

