

PROPERTY LOCATED AT: **36 Deane St., Ellsworth, ME 04605****PROPERTY DISCLOSURE**

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**SECTION I - WATER SUPPLY**

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Seasonal _____ ☐ Unknown
☐ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
 (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown
 Quantity: ☐ Yes ☒ No ☐ Unknown
 Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.


WATER TEST: Have you had the water tested? ☐ Yes ☒ No
 If Yes, Date of most recent test: --- Are test results available? .. ☐ Yes ☒ No
 To your knowledge, have any test results ever been reported as unsatisfactory
 or satisfactory with notation? ☐ Yes ☒ No
 If Yes, are test results available? ☐ Yes ☒ No
 What steps were taken to remedy the problem? N/A

~~IF PRIVATE: (Strike Section if Not Applicable):~~~~INSTALLATION: Location: _____~~~~Installed by: _____~~~~Date of Installation: _____~~~~USE: Number of persons currently using system: _____~~~~Does system supply water for more than one household? ☐ Yes ☐ No ☐ Unknown~~Comments: **Ellsworth Public Water system, no malfunctions**Source of Section I information: **Seller & Agent Observation**

Buyer Initials _____

Page 1 of 8

Seller Initials _____

Initial


PROPERTY LOCATED AT: 36 Deane St., Ellsworth, ME 04605

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... ☐ Yes ☒ No

If Yes, what results: N/A

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☒ No

What steps were taken to remedy the problem? N/A

IF PRIVATE (Strike Section if Not Applicable):

~~Tank: ☐ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____~~

~~☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))~~

~~Tank Size: ☐ 500 Gallon ☐ 1000 Gallon ☐ Unknown ☐ Other: _____~~

~~Tank Type: ☐ Concrete ☐ Metal ☐ Unknown ☐ Other: _____~~

~~Location: _____ OR ☐ Unknown~~

~~Date installed: _____ Date last pumped: _____ Name of pumping company: _____~~

~~Have you experienced any malfunctions? ☐ Yes ☐ No~~

~~If Yes, give the date and describe the problem: _____~~

~~Date of last servicing of tank: _____ Name of company servicing tank: _____~~

~~Leach Field: _____ ☐ Yes ☐ No ☐ Unknown~~

~~If Yes, Location: _____~~

~~Date of installation of leach field: _____ Installed by: _____~~

~~Date of last servicing of leach field: _____ Company servicing leach field: _____~~

~~Have you experienced any malfunctions? ☐ Yes ☐ No~~

~~If Yes, give the date and describe the problem and what steps were taken to remedy: _____~~

~~Do you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☐ No~~

~~If Yes, are they available? ☐ Yes ☐ No~~

~~Is System located in a Shoreland Zone? ☐ Yes ☐ No ☐ Unknown~~

Comments: Ellsworth Public Sewer System, no malfunctions

Source of Section II information: Seller & Agent Observation

Buyer Initials _____

Page 2 of 8

Seller Initials Initial
BLR _____

PROPERTY LOCATED AT: 36 Deane St., Ellsworth, ME 04605**SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)**

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	Radiator	Baseboard	Propane	
Age of system(s) or source(s)	30+/- Years	5 years	10 years	
TYPE(S) of Fuel	Oil	Oil	Propane	
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	About \$4,000 a year for	both oil heating units	Unk	
Name of company that services system(s) or source(s)	Dead River	Dead River	Dead River	
Date of most recent service call	11/2025	11/2025	12/2024	
Malfunctions per system(s) or source(s) within past 2 years	None	None	Has not been used last 2 years	
Other pertinent information				

Are there fuel supply lines? ☒ Yes ☐ No ☐ UnknownAre any buried? ☐ Yes ☒ No ☐ UnknownAre all sleeved? ☒ Yes ☐ No ☐ UnknownChimney(s): ☒ Yes ☐ NoIf Yes, are they lined: ☐ Yes ☐ No ☒ UnknownIs more than one heat source vented through one flue? ☐ Yes ☐ No ☒ UnknownHad a chimney fire: ☐ Yes ☒ No ☐ UnknownHas chimney(s) been inspected? ☐ Yes ☐ No ☒ Unknown

If Yes, date: -----

Date chimney(s) last cleaned: UNKDirect and/or Power Vent(s): ☐ Yes ☐ No ☒ UnknownHas vent(s) been inspected? ☐ Yes ☐ No ☒ Unknown

If Yes, date: ---

Comments: **Dead River maintains heating units, no malfunctions in the last 2 years**Source of Section III information: **Seller & Agent Observation****SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, are tanks in current use? ☐ Yes ☒ No ☐ UnknownIf no longer in use, how long have they been out of service? N/AIf tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☒ No ☐ UnknownAre tanks registered with DEP? ☐ Yes ☒ No ☐ UnknownAge of tank(s): N/A Size of tank(s): N/ALocation: N/A

Buyer Initials _____

Page 3 of 8

Seller Initials BlkR

PROPERTY LOCATED AT: 36 Deane St., Ellsworth, ME 04605

What materials are, or were, stored in the tank(s)? N/A

Have you experienced any problems such as leakage: ☐ Yes ☒ No ☐ Unknown

Comments: No known underground storage tanks

Source of information: Seller

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ☐ Yes ☐ No ☒ Unknown

In the ceilings? ☐ Yes ☐ No ☒ Unknown

In the siding? ☐ Yes ☐ No ☒ Unknown

In the roofing shingles? ☐ Yes ☐ No ☒ Unknown

In flooring tiles? ☐ Yes ☐ No ☒ Unknown

Other: ☐ Yes ☐ No ☒ Unknown

Comments: No known Asbestos

Source of information: Seller & Agent Observation

C. RADON/AIR - Current or previously existing:

Has the property been tested? ☒ Yes ☐ No ☐ Unknown

If Yes: Date: March 11, 2007 By: Radon Testing Corporation of America

Results: 2.7 pCi/L

If applicable, what remedial steps were taken? Below acceptable levels

Has the property been tested since remedial steps? ☐ Yes ☒ No ☐ Unknown

Are test results available? ☒ Yes ☐ No

Results/Comments: Results passed, no remedial steps taken

Source of information: Seller & Paperwork

D. RADON/WATER - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: N/A By: N/A

Results: N/A

If applicable, what remedial steps were taken? N/A

Has the property been tested since remedial steps? ☐ Yes ☒ No ☐ Unknown

Are test results available? ☐ Yes ☒ No

Results/Comments: No known Radon/Water, Water supplied by City of Ellsworth

Source of information: Seller & Agent Observation

E. METHAMPHETAMINE - Current or previously existing:

☐ Yes ☒ No ☐ Unknown

Comments: No known Methamphetamine

Source of information: Seller & Agent Observation

Buyer Initials _____

Page 4 of 8

Seller Initials Initial
BLR

PROPERTY LOCATED AT: 36 Deane St., Ellsworth, ME 04605

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
☐ Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

If Yes, describe location and basis for determination: N/A

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: N/A

Are you aware of any cracking, peeling or flaking paint? ☐ Yes ☒ No

Comments: No know lead-based paint or hazards, possible due to age of property

Source of information: Seller & Agent Observation

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☒ No ☐ Unknown

LAND FILL: ☐ Yes ☒ No ☐ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☒ No ☐ Unknown

Other: No known hazardous materials on the property

Source of information: Seller & Agent Observation

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: N/A

Source of information: Seller & Agent Observation

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown


If No, who is responsible for maintenance? City of Ellsworth

Road Association Name (if known): None

Source of information: Seller & Agent Observation

Buyer Initials _____

Page 5 of 8

Seller Initials Initial


PROPERTY LOCATED AT: 36 Deane St., Ellsworth, ME 04605**SECTION VI – FLOOD HAZARD**

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.


During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AHave any flood events affected a structure on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AHas any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AHas there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, indicate the dates of each claim: N/AHas there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ UnknownIf Yes, indicate the date of each payment: N/AIs the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ UnknownIf yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?
N/ARelevant Panel Number: 23009C0766D Year: 07/20/2026 (Attach a copy)Comments: Property is not located in a flood zoneSource of Section VI information: Seller, FEMA . GOV & Agent Observation

Buyer Initials _____

Page 6 of 8

Seller Initials

Initial


PROPERTY LOCATED AT: 36 Deane St., Ellsworth, ME 04605**SECTION VII - GENERAL INFORMATION**

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
 ☒ Yes ☐ No ☐ Unknown

If Yes, explain: Homestead ExemptionIs a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: N/A

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: Only Propane tank

Year Principal Structure Built: 1900 What year did Seller acquire property? 2000Roof: Year Shingles/Other Installed: UNK for main roof, porch roof 2023Water, moisture or leakage: Ice dam caused some leakage, no leakage since fixed in 2023Comments: No other issues with the roof during ownership

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ UnknownWater, moisture or leakage since you owned the property: ☐ Yes ☒ No ☐ UnknownPrior water, moisture or leakage? ☐ Yes ☒ No ☐ UnknownComments: No known foundational issuesMold: Has the property ever been tested for mold? ☐ Yes ☐ No ☒ UnknownIf Yes, are test results available? ☐ Yes ☒ NoComments: No known mold on the propertyElectrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ UnknownComments: Electrical updated prior to ownershipHas all or a portion of the property been surveyed? ☐ Yes ☐ No ☒ UnknownIf Yes, is the survey available? ☐ Yes ☒ No ☐ Unknown

Manufactured Housing - Is the residence a:


Mobile Home ☐ Yes ☒ No ☐ UnknownModular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure
 ☐ Yes ☒ No ☐ Unknown

Comments: No known defects caused by insect or animal infestation

Buyer Initials _____

Page 7 of 8

Seller Initials 

PROPERTY LOCATED AT: 36 Deane St., Ellsworth, ME 04605

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: No known material defects

Comments: No known material defects

Source of Section VII information: Seller & Agent Observation

SECTION VIII - ADDITIONAL INFORMATION


Recent downstairs Bedroom & Bathroom addition in 2021

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by:  7/30/2026

SELLER DATE SELLER DATE

Barbara Reeve

SELLER DATE SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE BUYER DATE

BUYER DATE BUYER DATE