

PROPERTY LOCATED AT: 15 Picnic Point Dr, Deer Isle, Me 04627**PROPERTY DISCLOSURE**

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**SECTION I - WATER SUPPLY**

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal _____ ☐ Unknown
☒ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
 (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown
 Quantity: ☐ Yes ☒ No ☐ Unknown
 Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☒ Yes ☐ No
 If Yes, Date of most recent test: 2021 Are test results available? .. ☐ Yes ☒ No
 To your knowledge, have any test results ever been reported as unsatisfactory
 or satisfactory with notation? ☐ Yes ☒ No
 If Yes, are test results available? ☐ Yes ☒ No
 What steps were taken to remedy the problem? 2018 were good, coliform present well was shocked.

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: Behind Studio

Installed by: Unknown

Date of Installation: Unknown

USE: Number of persons currently using system: 3

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: Pump was replaced in 2016. Child living in th house so water was tested in 2021, results were within EPA limits. Well head was raised in 2019 after water testing.

Source of Section I information: Previous owner

Buyer Initials _____ Page 1 of 8

Seller Initials FRKS

PROPERTY LOCATED AT: 15 Picnic Point Dr, Deer Isle, Me 04627**SECTION II - WASTE WATER DISPOSAL**TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... ☐ Yes ☐ No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No~~What steps were taken to remedy the problem? _____~~

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____
☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☒ Unknown ☐ Other: _____Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: _____Location: South of the house OR ☐ UnknownDate installed: 12/31/1992 Date last pumped: 2016? Name of pumping company: Percy Brown PlumbingHave you experienced any malfunctions? ☐ Yes ☒ NoIf Yes, give the date and describe the problem: NoneDate of last servicing of tank: 2018 Name of company servicing tank: _____Leach Field: ☒ Yes ☐ No ☐ UnknownIf Yes, Location: SW of houseDate of installation of leach field: 01/01/1992 Installed by: UnknownDate of last servicing of leach field: N/A Company servicing leach field: N/AHave you experienced any malfunctions? ☐ Yes ☒ NoIf Yes, give the date and describe the problem and what steps were taken to remedy: Septic tank cover was replaced after 2018 inspection, Float alarm was installed as inspection suggested.Do you have records of the design indicating the # of bedrooms the system was designed for? ☒ Yes ☐ NoIf Yes, are they available? ☒ Yes ☐ NoIs System located in a Shoreland Zone? ☒ Yes ☐ No ☐ UnknownComments: There were repairs/corrections made when Sellers purchased property in 2018 and no trouble since owning. Float Alarm replaced in 2018?Source of Section II information: Previous Septic inspection/Seller

Buyer Initials _____

Page 2 of 8

Seller Initials F J R K S

PROPERTY LOCATED AT: 15 Picnic Point Dr, Deer Isle, Me 04627**SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)**

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	Electric Heat Baseboard	Fireplace		
Age of system(s) or source(s)	Original to house	1980 original		
TYPE(S) of Fuel				
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)		Used occasionally		
Name of company that services system(s) or source(s)		Dan Foss		
Date of most recent service call		2024		
Malfunctions per system(s) or source(s) within past 2 years	None			
Other pertinent information	Electric baseboard in studio No heat on second floor			

Are there fuel supply lines? ☐ Yes ☒ No ☐ UnknownAre any buried? ☐ Yes ☒ No ☐ UnknownAre all sleeved? ☐ Yes ☒ No ☐ UnknownChimney(s): ☐ Yes ☒ NoIf Yes, are they lined: ☐ Yes ☒ No ☐ UnknownIs more than one heat source vented through one flue? ☐ Yes ☒ No ☐ UnknownHad a chimney fire: ☐ Yes ☒ No ☐ UnknownHas chimney(s) been inspected? ☐ Yes ☒ No ☐ UnknownIf Yes, date: December 31, 2023Date chimney(s) last cleaned: December 31, 2023Direct and/or Power Vent(s): ☐ Yes ☒ No ☐ UnknownHas vent(s) been inspected? ☐ Yes ☒ No ☐ Unknown

If Yes, date: _____

Comments: Dan Foss did repair work, new blocks where needed, new cap, new screen, new interior wood trim, solved all issuesSource of Section III information: Sellers**SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, are tanks in current use? ☐ Yes ☒ No ☐ Unknown

If no longer in use, how long have they been out of service? _____

If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☒ No ☐ UnknownAre tanks registered with DEP? ☐ Yes ☒ No ☐ UnknownAge of tank(s): N/A Size of tank(s): N/ALocation: N/A

Buyer Initials _____

Page 3 of 8

Seller Initials FRKS

PROPERTY LOCATED AT: 15 Picnic Point Dr, Deer Isle, Me 04627What materials are, or were, stored in the tank(s)? N/AHave you experienced any problems such as leakage: ☐ Yes ☒ No ☐ UnknownComments: N/ASource of information: Seller**B. ASBESTOS** - Is there now or has there been asbestos:As insulation on the heating system pipes or duct work? ☐ Yes ☒ No ☐ UnknownIn the ceilings? ☐ Yes ☒ No ☐ UnknownIn the siding? ☐ Yes ☒ No ☐ UnknownIn the roofing shingles? ☐ Yes ☒ No ☐ UnknownIn flooring tiles? ☐ Yes ☒ No ☐ UnknownOther: ☐ Yes ☒ No ☐ UnknownComments: N/ASource of information: Seller**C. RADON/AIR** - Current or previously existing:Has the property been tested? ☐ Yes ☒ No ☐ UnknownIf Yes: Date: N/A By: N/AResults: N/A

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☒ No ☐ UnknownAre test results available? ☐ Yes ☒ NoResults/Comments: N/ASource of information: Seller**D. RADON/WATER** - Current or previously existing:Has the property been tested? ☐ Yes ☐ No ☒ UnknownIf Yes: Date: 2018/2019? By: Perkins Home Services?Results: No

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☒ No ☐ UnknownAre test results available? ☐ Yes ☒ NoResults/Comments: Seller had testing when purchased, only recall coliform treatment and new well cap?Source of information: Seller/Past Disclosures**E. METHAMPHETAMINE** - Current or previously existing:☐ Yes ☒ No ☐ UnknownComments: N/ASource of information: Seller

Buyer Initials _____

Page 4 of 8

Seller Initials

PERKINS

PROPERTY LOCATED AT: 15 Picnic Point Dr, Deer Isle, Me 04627**F. LEAD-BASED PAINT/PAINT HAZARDS** - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
☐ Yes ☒ No ☐ Unknown ☐ Unknown (but possible due to age)If Yes, describe location and basis for determination: N/ADo you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ NoIf Yes, describe: N/AAre you aware of any cracking, peeling or flaking paint? ☐ Yes ☒ NoComments: None noted, some painting has been done since the 2018 purchaseSource of information: Seller**G. OTHER HAZARDOUS MATERIALS** - Current or previously existing:TOXIC MATERIAL: ☐ Yes ☒ No ☐ UnknownLAND FILL: ☐ Yes ☒ No ☐ UnknownRADIOACTIVE MATERIAL: ☐ Yes ☒ No ☐ UnknownOther: N/ASource of information: Seller**Buyers are encouraged to seek information from professionals regarding any specific issue or concern.****SECTION V - ACCESS TO THE PROPERTY**Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☒ Yes ☐ No ☐ UnknownIf Yes, explain: ROW, Merchants Road Association (annual dues \$400), \$250 for snow. Contact Chuck LucasSource of information: Seller/DeedIs access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ UnknownIf No, who is responsible for maintenance? N/ARoad Association Name (if known): N/ASource of information: Seller, Deed

Buyer Initials _____

Page 5 of 8

Seller Initials

RL RKS

PROPERTY LOCATED AT: 15 Picnic Point Dr, Deer Isle, Me 04627**SECTION VI – FLOOD HAZARD**

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: No issues since ownership, even during 2024-2025 stormsHave any flood events affected a structure on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AHas any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AHas there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, indicate the dates of each claim: N/AHas there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ UnknownIf Yes, indicate the date of each payment: N/AIs the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: 230280 Year: 2016 (Attach a copy)Comments: Zone XSource of Section VI information: Maine.Gov Flood Maps

Buyer Initials _____

Page 6 of 8

Seller Initials FRKS

PROPERTY LOCATED AT: 15 Picnic Point Dr, Deer Isle, Me 04627**SECTION VII - GENERAL INFORMATION**

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
 ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **Seller, Public Records**Is a Forest Management and Harvest Plan available?..... ☐ Yes ☐ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **There is a Dish Network on ceiling but Sellers have never used that service**Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: N/AYear Principal Structure Built: 1980 What year did Seller acquire property? 2018Roof: Year Shingles/Other Installed: ~2020 by Tomboy ConstructionWater, moisture or leakage: NoneComments: **No issues**

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ UnknownWater, moisture or leakage since you owned the property: ☐ Yes ☒ No ☐ UnknownPrior water, moisture or leakage? ☐ Yes ☒ No ☐ UnknownComments: **None**Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ UnknownIf Yes, are test results available? ☐ Yes ☒ NoComments: **N/A**Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ UnknownComments: **Seller**Has all or a portion of the property been surveyed? ☒ Yes ☐ No ☐ UnknownIf Yes, is the survey available? ☐ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☐ No ☐ UnknownModular ☐ Yes ☐ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☐ No ☐ UnknownComments: **Studio and house have separate meters (studio runs ~\$45/mo., house runs about \$140/mo. in 2026 summer)**

Buyer Initials _____

Page 7 of 8

Seller Initials **FRKS**

PROPERTY LOCATED AT: 15 Picnic Point Dr, Deer Isle, Me 04627

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: Electrical system needs updating, two sliding doors that should be replaced, do not slide well.

Comments: _____

Source of Section VII information: Seller

SECTION VIII - ADDITIONAL INFORMATION

Master BR sliding door was replaced and the studio sliding door replaced in 2020-2021. Majority Deck, screen deck and stairs, railing 100%. Area outside of studio board replacement only. 2021 Stairs build to shore (Renee Sewall).

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☒ Yes ☐ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

	8/31/2026		8/31/2026
SELLER	DATE	SELLER	DATE
Roslyn K Sommer		Peter M Sommer	

SELLER	DATE	SELLER	DATE
--------	------	--------	------

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER	DATE	BUYER	DATE
-------	------	-------	------

BUYER	DATE	BUYER	DATE
-------	------	-------	------