

SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Department of Human Services
Division of Health Engineering
(207)289-3826

PROPERTY ADDRESS

Town Or Plantation	TRENTON
Street Subdivision Lot #	Lot 5 Rnd Fern Subdiv
PROPERTY OWNERS NAME	
Last: Norton	First: EDWARD
Applicant Name: EDWARD NORTON	
Mailing Address of Owner/Applicant (if Different): RFD 4 Lot 61 Hancock Heights	
Elisworth, MAINE 04605	

TRENTON	PERMIT # 576	STATE COPY
Date Permit Issued: 6/10/96	\$ 4000 FEE	☐ Double Fee Charged
L.P.I. # 63		
Total Plumbing Inspector Signature: William A. Bell		

Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.

Signature of Owner/Applicant: Edward R. Norton Date: 6/10/96

Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Subsurface Wastewater Disposal Rules.

Local Plumbing Inspector Signature

Date Approved

PERMIT INFORMATION

THIS APPLICATION IS FOR:

- ☒ NEW SYSTEM
- ☐ REPLACEMENT SYSTEM
- ☐ EXPANDED SYSTEM
- ☐ EXPERIMENTAL SYSTEM

SEASONAL CONVERSION

to be completed by the LPI

- ☐ SYSTEM COMPLIES WITH RULES
- ☐ CONNECTED TO SANITARY SEWER
- ☐ SYSTEM INSTALLED - P#
- ☐ SYSTEM DESIGN RECORDED AND ATTACHED

IF REPLACEMENT SYSTEM: N/A

YEAR FAILING SYSTEM INSTALLED

THE FAILING SYSTEM IS:

- ☐ BED
- ☐ CHAMBER
- ☐ TRENCH
- ☐ OTHER

SIZE OF PROPERTY

ZONING

1.57 AC

None

THIS APPLICATION REQUIRES:

- ☒ NO RULE VARIANCE
- ☐ NEW SYSTEM VARIANCE
Attach New System Variance Form
- ☐ REPLACEMENT SYSTEM VARIANCE
Attach Replacement System Variance Form
- ☐ MINIMUM LOT SIZE VARIANCE

DISPOSAL SYSTEM TO SERVE:

- ☒ SINGLE FAMILY DWELLING
- ☐ MODULAR OR MOBILE HOME
- ☐ MULTIPLE FAMILY DWELLING
- ☐ OTHER

SPECIFY

INSTALLATION IS:

COMPLETE SYSTEM

- ☒ NON-ENGINEERED SYSTEM
- ☐ PRIMITIVE SYSTEM
(Includes Alternative Toilet)
- ☐ ENGINEERED (+2000 gpd)

INDIVIDUALLY INSTALLED COMPONENTS:

- ☐ TREATMENT TANK (ONLY)
- ☐ HOLDING TANK _____ GAL
- ☐ ALTERNATIVE TOILET (ONLY)
- ☐ NON-ENGINEERED DISPOSAL AREA (ONLY)
- ☐ ENGINEERED DISPOSAL AREA (ONLY)
- ☐ SEPARATED LAUNDRY SYSTEM

TYPE OF WATER SUPPLY

Drilled Well Proposed

DESIGN DETAILS (SYSTEM LAYOUT SHOWN ON PAGE 3)

TREATMENT TANK

- ☒ SEPTIC ☒ Regular
☐ Low Profile
- ☐ AEROBIC

SIZE: 1000 GALS

WATER CONSERVATION

- ☒ NONE
- ☐ LOW VOLUME TOILET
- ☐ SEPARATED LAUNDRY SYSTEM
- ☐ ALTERNATIVE TOILET

SPECIFY:

PUMPING

- ☒ NOT REQUIRED
- ☐ MAY BE REQUIRED
(DEPENDENT ON TREATMENT TANK LOCATION AND ELEVATION)
- ☐ REQUIRED

DOSE: _____ GALS

CRITERIA USED FOR DESIGN FLOW (BEDROOMS, SEATING, EMPLOYEES, WATER RECORDS, ETC.)

3 Bedrooms

SOIL CONDITIONS USED FOR DESIGN PURPOSES

PROFILE: 3 CONDITION: C

DEPTH TO LIMITING FACTOR: 17

SIZE RATINGS USED FOR DESIGN PURPOSES

- ☐ SMALL
- ☐ MEDIUM
- ☒ MEDIUM-LARGE
- ☐ LARGE
- ☐ EXTRA LARGE

DISPOSAL AREA TYPE/SIZE

- ☒ BED 300 Sq Ft
- ☐ CHAMBER _____ Sq Ft
- ☐ TRENCH _____ Linear Ft
- ☐ OTHER

DESIGN FLOW: 270

(GALLONS/DAY)

SITE EVALUATOR STATEMENT

On 5-18-90 (date) I conducted a site evaluation for this project and certify that the data reported is accurate. The system I propose is in accordance with the Subsurface Wastewater Disposal Rules.

Signature: J. Peter Crane

Site Evaluator Signature

33 SE#

5-20-90 Date

(Local Plumbing Inspector's Signature if permit is for Seasonal Conversion.)

Department of Human Services
Division of Health Engineering

Street, Road, Subdivision


Owners Name

Lot 5 Red Fern Subdiv
SITE PLAN

EDWARD NORTON

SITE LOCATION PLAN (Attach Map from Maine Atlas for New System Variance)

Scale 1" = 50 Ft.



NOTE: Proposed Well to
be 100' from DANGER
AREA

(Location of Observation Holes Shown Above)

Observation Hole _____ ☐ Test Pit ☐ Boring

Depth of Organic Horizon Above Mineral Soil

Soil		Classification	Slope	Limiting Factor	☐ Ground Water ☐ Restrictive Layer ☐ Bedrock																																				
Profile	Condition		%																																						
DEPTH BELOW MINERAL SOIL SURFACE (inches) <table style="width: 100%; border-collapse: collapse;"><tr><th style="width: 25%;">Texture</th><th style="width: 25%;">Consistency</th><th style="width: 25%;">Color</th><th style="width: 25%;">Mottling</th></tr><tr><td>0</td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td></tr><tr><td>15</td><td></td><td></td><td></td></tr><tr><td>20</td><td></td><td></td><td></td></tr><tr><td>30</td><td></td><td></td><td></td></tr><tr><td>40</td><td></td><td></td><td></td></tr><tr><td>50</td><td></td><td></td><td></td></tr></table>						Texture	Consistency	Color	Mottling	0				6				10				15				20				30				40				50			
Texture	Consistency	Color	Mottling																																						
0																																									
6																																									
10																																									
15																																									
20																																									
30																																									
40																																									
50																																									

33
SE#

5-20-90
Date