

LEAD PAINT DISCLOSURE/ADDENDUM

AGREEMENT BETWEEN Riley's Way LLC, Alice F Workman (hereinafter "Seller")
AND _____ (hereinafter "Buyer")
FOR PROPERTY LOCATED AT 219 Paul Bunyan Road, Gouldsboro, ME 04607

Said contract is further subject to the following terms:

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure

- (a) Presence of lead-based paint and/or lead-based paint hazards (check one below):
____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

☒ Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.
- (b) Records and reports available to the Seller (check one below):
____ Seller has provided the Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

☒ Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Buyer's Acknowledgment

- (c) Buyer has received copies of all information listed above.
- (d) Buyer has received the pamphlet Protect Your Family from Lead in Your Home.
- (e) Buyer has (check one below):
____ Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or
____ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgment

- (f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

		Signed by:	
		<u>Alice F. Workman</u>	9/8/2026
Buyer	Date	Seller <u>Riley's Way LLC, Alice F Workman</u>	Date
Buyer	Date	Seller	Date
Buyer	Date	Seller	Date
Buyer	Date	Seller	Date
Agent	Date	Agent <u>Teri Sargent Smith</u>	Date

PROPERTY LOCATED AT: 219 Paul Bunyan Road, Gouldsboro, ME 04607**PROPERTY DISCLOSURE**

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**SECTION I - WATER SUPPLY**

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal _____ ☐ Unknown
☒ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
 (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown

Quantity: ☐ Yes ☒ No ☐ Unknown

Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☒ Yes ☐ No

If Yes, Date of most recent test: _____ Are test results available? .. ☐ Yes ☐ No

To your knowledge, have any test results ever:

a) Been reported as unsatisfactory or satisfactory with notation?..... ☐ Yes ☐ No

b) Detected perfluoroalkyl and polyfluoroalkyl (PFA) substances? ☐ Yes ☐ No

If Yes to (a) and/or (b) above, are test results available? ☐ Yes ☐ No

What steps were taken to remedy the problem? _____

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: Top of Hill near Utility Pole

Installed by: Unknown

Date of Installation: Unknown

USE: Number of persons currently using system: Varies

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of Section I information: Previous Disclosure & Seller

Buyer Initials _____

Page 1 of 8

Seller Initials

Initial

AFW

PROPERTY LOCATED AT: 219 Paul Bunyan Road, Gouldsboro, ME 04607

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... ☐ Yes ☐ No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No

What steps were taken to remedy the problem? _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____

☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: _____

Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: _____

Location: Driveway OR ☐ Unknown

Date installed: Unknown Date last pumped: 2025 Name of pumping company: Whitten

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem: _____

Date of last servicing of tank: None Needed Name of company servicing tank: XXX

Leach Field: ☒ Yes ☐ No ☐ Unknown

If Yes, Location: Along Shore

Date of installation of leach field: Unknown Installed by: Unknown

Date of last servicing of leach field: XXX Company servicing leach field: XXX

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☒ No

If Yes, are they available? ☐ Yes ☒ No

Is System located in a Shoreland Zone? ☒ Yes ☐ No ☐ Unknown

Comments: Preventative: Owner uses a Septic Tank Heater Jan-March when property is not in use.

Source of Section II information: Previous Disclosure & Seller

Buyer Initials _____

Page 2 of 8

Seller Initials Initial
AEW

PROPERTY LOCATED AT: 219 Paul Bunyan Road, Gouldsboro, ME 04607**SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)**

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	ThermoFlo CLB-105	Mr. Heater Propane	Gas Fireplace	Dalkin Heat Pump
Age of system(s) or source(s)	2021	2021	2023	2023
TYPE(S) of Fuel	Propane	Propane	Propane	Electric
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	Varies	Basement Back-up only	Varies	Heat & AC Varies
Name of company that services system(s) or source(s)				
Date of most recent service call				
Malfunctions per system(s) or source(s) within past 2 years				
Other pertinent information				Cleaned Twice a Year

Are there fuel supply lines? ☒ Yes ☐ No ☐ UnknownAre any buried? ☐ Yes ☒ No ☐ UnknownAre all sleeved? ☒ Yes ☐ No ☐ UnknownChimney(s): ☒ Yes ☐ NoIf Yes, are they lined: ☐ Yes ☐ No ☐ UnknownIs more than one heat source vented through one flue? ☐ Yes ☒ No ☐ UnknownHad a chimney fire: ☐ Yes ☒ No ☐ UnknownHas chimney(s) been inspected? ☒ Yes ☐ No ☐ UnknownIf Yes, date: 2021

Date chimney(s) last cleaned: _____

Direct and/or Power Vent(s): ☒ Yes ☐ No ☐ UnknownHas vent(s) been inspected? ☐ Yes ☐ No ☒ Unknown

If Yes, date: _____

Comments: Insulated Metal Chimney. Direct Vent On-Demand Hot Water Heater in Basement (Electric Back-up Hot Water Heater)Source of Section III information: Previous Disclosure**SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☒ No ☐ Unknown~~If Yes, are tanks in current use? ☐ Yes ☐ No ☐ Unknown~~~~If no longer in use, how long have they been out of service? _____~~~~If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☐ Unknown~~~~Are tanks registered with DEP? ☐ Yes ☐ No ☐ Unknown~~~~Age of tank(s): _____ Size of tank(s): _____~~~~Location: _____~~

Buyer Initials _____

Page 3 of 8

Seller Initials AFW _____

PROPERTY LOCATED AT: 219 Paul Bunyan Road, Gouldsboro, ME 04607

~~What materials are, or were, stored in the tank(s)?~~ _____

Have you experienced any problems such as leakage: ☐ Yes ☐ No ☐ Unknown

Comments: _____

Source of information: Previous Disclosure

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ☐ Yes ☒ No ☐ Unknown

In the ceilings? ☐ Yes ☒ No ☐ Unknown

In the siding? ☐ Yes ☒ No ☐ Unknown

In the roofing shingles? ☐ Yes ☒ No ☐ Unknown

In flooring tiles? ☐ Yes ☒ No ☐ Unknown

Other: ☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of information: Previous Disclosure

C. RADON/AIR - Current or previously existing:

Has the property been tested? ☒ Yes ☐ No ☐ Unknown

If Yes: Date: 2018 By: Alliance

Results: .4 pCi/L

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☐ No

Results/Comments: _____

Source of information: Previous Disclosure

D. RADON/WATER - Current or previously existing:

Has the property been tested? ☒ Yes ☐ No ☐ Unknown

If Yes: Date: 2018 By: A&L Laboratory

Results: 5125 pCi/L

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☐ No

Results/Comments: _____

Source of information: Previous Disclosure

E. METHAMPHETAMINE - Current or previously existing:

☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of information: Seller

Buyer Initials _____

Page 4 of 8

Seller Initials

Initial
AFW

PROPERTY LOCATED AT: 219 Paul Bunyan Road, Gouldsboro, ME 04607

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
☐ Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? ☐ Yes ☒ No

Comments: _____

Source of information: **Previous Disclosure**

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☒ No ☐ Unknown

LAND FILL: ☐ Yes ☒ No ☐ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☒ No ☐ Unknown

Other: _____

Source of information: **Previous Disclosure**

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☒ Yes ☐ No ☐ Unknown

If Yes, explain: **Corea by the Sea Subdivision Covenants**

Source of information: **Deed**

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? _____

Road Association Name (if known): _____

Source of information: **Public Records**

Buyer Initials _____

Page 5 of 8

Seller Initials AFW

PROPERTY LOCATED AT: 219 Paul Bunyan Road, Gouldsboro, ME 04607

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: _____ Year: _____ (Attach a copy)

Comments: _____

Source of Section VI information: **FEMA Maps**

Buyer Initials _____

Page 6 of 8

Seller Initials

Initial

RPW

PROPERTY LOCATED AT: 219 Paul Bunyan Road, Gouldsboro, ME 04607**SECTION VII - GENERAL INFORMATION**

Are there any tax exemptions or reductions for this property for any reason including but not limited to:

Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ UnknownIs the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, solar panels, wind turbines): Type: _____

From Whom: _____

Year Principal Structure Built: 1960 What year did Seller acquire property? 2023Roof: Year Shingles/Other Installed: 2006Water, moisture or leakage: None

Comments: _____

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ UnknownWater, moisture or leakage since you owned the property: ☐ Yes ☒ No ☐ UnknownPrior water, moisture or leakage? ☐ Yes ☒ No ☐ Unknown

Comments: _____

Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ UnknownIf Yes, are test results available? ☐ Yes ☐ No

Comments: _____

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: _____

Has all or a portion of the property been surveyed? ☒ Yes ☐ No ☐ UnknownIf Yes, is the survey available? ☒ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ UnknownModular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☒ No ☐ Unknown

Comments: _____

Buyer Initials _____

Page 7 of 8

Seller Initials

Initial

APW

PROPERTY LOCATED AT: 219 Paul Bunyan Road, Gouldsboro, ME 04607

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: NONE

Comments: _____

Source of Section VII information: Previous Disclosure & Seller

SECTION VIII - ADDITIONAL INFORMATION

Property extensively renovated in 2019. Driveway completely rebuilt in 2023. Whole House Generator installed 2025 (Separate LP Tank)

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by: Alice F. Workman 9/8/2026

SELLER ID: 8A8DDDD99A8441... DATE SELLER DATE

Riley's Way LLC, Alice F Workman

SELLER DATE SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE BUYER DATE

BUYER DATE BUYER DATE