

PROPERTY LOCATED AT: 9 LAUREL ST., ELLSWORTH, ME 04605**PROPERTY DISCLOSURE**

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**SECTION I - WATER SUPPLY**

TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Seasonal _____ ☐ Unknown
☐ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
 (public/private/other) water system?

Pump (if any): ☒ N/A ☐ Yes ☐ No ☐ Unknown
 Quantity: ☐ Yes ☒ No ☐ Unknown
 Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☐ Yes ☒ No
 If Yes, Date of most recent test: N/A Are test results available? .. ☐ Yes ☐ No
 To your knowledge, have any test results ever been reported as unsatisfactory
 or satisfactory with notation? ☐ Yes ☐ No
 If Yes, are test results available? ☐ Yes ☐ No
 What steps were taken to remedy the problem? N/A

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: N/A

Installed by: N/A

Date of Installation: N/A

USE: Number of persons currently using system: 2

Does system supply water for more than one household? ☐ Yes ☐ No ☐ Unknown

Comments: CITY WATER

Source of Section I information: SELLER

Buyer Initials _____

Page 1 of 8

Seller Initials

Initial Initial
JEB JAB

PROPERTY LOCATED AT: 9 LAUREL ST., ELLSWORTH, ME 04605**SECTION II - WASTE WATER DISPOSAL**TYPE OF SYSTEM: ☒ Public ☐ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... ☐ Yes ☒ NoIf Yes, what results: N/AHave you experienced any problems such as line or other malfunctions? ☐ Yes ☒ NoWhat steps were taken to remedy the problem? N/A

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☐ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____
☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))Tank Size: ☐ 500 Gallon ☐ 1000 Gallon ☐ Unknown ☐ Other: _____Tank Type: ☐ Concrete ☐ Metal ☐ Unknown ☐ Other: _____Location: N/A OR ☐ UnknownDate installed: N/A Date last pumped: N/A Name of pumping company: N/AHave you experienced any malfunctions? ☐ Yes ☒ NoIf Yes, give the date and describe the problem: N/ADate of last servicing of tank: N/A Name of company servicing tank: N/ALeach Field: ☐ Yes ☐ No ☐ UnknownIf Yes, Location: N/ADate of installation of leach field: N/A Installed by: N/ADate of last servicing of leach field: N/A Company servicing leach field: N/AHave you experienced any malfunctions? ☐ Yes ☐ NoIf Yes, give the date and describe the problem and what steps were taken to remedy: N/ADo you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☐ NoIf Yes, are they available? ☐ Yes ☐ NoIs System located in a Shoreland Zone? ☐ Yes ☐ No ☐ UnknownComments: CITY SEWERSource of Section II information: SELLER

Buyer Initials _____

Page 2 of 8

Seller Initials JEB JAB

PROPERTY LOCATED AT: 9 LAUREL ST., ELLSWORTH, ME 04605

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)				
Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	FHA	BBHW	N/A	N/A
Age of system(s) or source(s)	7 +/- YRS	25 +/- YRS		
TYPE(S) of Fuel	#2 OIL	PROPANE		
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	600-700 GAL.	MINIMAL		
Name of company that services system(s) or source(s)	4 SEASONS	EMERSON		
Date of most recent service call	DEC. 2024	4 +/- YRS		
Malfunctions per system(s) or source(s) within past 2 years	NONE	NONE		
Other pertinent information	MAIN HOUSE	OFFICE & APARTMENT		

Are there fuel supply lines? ☒ Yes ☐ No ☐ Unknown

Are any buried? ☐ Yes ☒ No ☐ Unknown

Are all sleeved? ☒ Yes ☐ No ☐ Unknown

Chimney(s): ☒ Yes ☐ No

 If Yes, are they lined: ☐ Yes ☐ No ☒ Unknown

Is more than one heat source vented through one flue? ☐ Yes ☒ No ☐ Unknown

 Had a chimney fire: ☐ Yes ☒ No ☐ Unknown

 Has chimney(s) been inspected? ☐ Yes ☒ No ☐ Unknown

 If Yes, date: N/A

 Date chimney(s) last cleaned: UNKNOWN

Direct and/or Power Vent(s): ☒ Yes ☐ No ☐ Unknown

 Has vent(s) been inspected? ☐ Yes ☐ No ☒ Unknown

 If Yes, date: N/A

Comments: NONE

Source of Section III information: SELLER

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☒ No ☐ Unknown

 If Yes, are tanks in current use? ☐ Yes ☐ No ☐ Unknown

 If no longer in use, how long have they been out of service? N/A

 If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☐ Unknown

 Are tanks registered with DEP? ☐ Yes ☐ No ☐ Unknown

 Age of tank(s): N/A Size of tank(s): N/A

 Location: N/A

Initial

JEB

Initial

JHB

Buyer Initials _____ Page 3 of 8 Seller Initials _____

PROPERTY LOCATED AT: 9 LAUREL ST., ELLSWORTH, ME 04605What materials are, or were, stored in the tank(s)? N/AHave you experienced any problems such as leakage: ☐ Yes ☐ No ☐ UnknownComments: NONESource of information: SELLER**B. ASBESTOS** - Is there now or has there been asbestos:As insulation on the heating system pipes or duct work? ☐ Yes ☐ No ☒ UnknownIn the ceilings? ☐ Yes ☒ No ☐ UnknownIn the siding? ☐ Yes ☒ No ☐ UnknownIn the roofing shingles? ☐ Yes ☒ No ☐ UnknownIn flooring tiles? ☐ Yes ☒ No ☐ UnknownOther: N/A ☐ Yes ☐ No ☐ UnknownComments: SELLER DISCOVERED SOME WHITE PAPER ON ONE OF THE HEATING DUCTS BURIED IN THE WALLSource of information: SELLER**C. RADON/AIR** - Current or previously existing:Has the property been tested? ☐ Yes ☒ No ☐ UnknownIf Yes: Date: N/A By: N/AResults: NONEIf applicable, what remedial steps were taken? N/AHas the property been tested since remedial steps? ☐ Yes ☐ No ☐ UnknownAre test results available? ☐ Yes ☐ NoResults/Comments: NONESource of information: SELLER**D. RADON/WATER** - Current or previously existing:Has the property been tested? ☐ Yes ☒ No ☐ UnknownIf Yes: Date: N/A By: N/AResults: NONEIf applicable, what remedial steps were taken? N/AHas the property been tested since remedial steps? ☐ Yes ☐ No ☐ UnknownAre test results available? ☐ Yes ☐ NoResults/Comments: CITY WATERSource of information: SELLER**E. METHAMPHETAMINE** - Current or previously existing:☐ Yes ☐ No ☒ UnknownComments: NONESource of information: SELLER

Buyer Initials _____

Page 4 of 8

Seller Initials

Initial
JEBInitial
JHB

PROPERTY LOCATED AT: 9 LAUREL ST., ELLSWORTH, ME 04605**F. LEAD-BASED PAINT/PAINT HAZARDS** - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
☐ Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)If Yes, describe location and basis for determination: N/ADo you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ NoIf Yes, describe: N/AAre you aware of any cracking, peeling or flaking paint? ☒ Yes ☐ NoComments: NONESource of information: SELLER**G. OTHER HAZARDOUS MATERIALS** - Current or previously existing:TOXIC MATERIAL: ☐ Yes ☒ No ☐ UnknownLAND FILL: ☐ Yes ☒ No ☐ UnknownRADIOACTIVE MATERIAL: ☐ Yes ☒ No ☐ UnknownOther: N/ASource of information: SELLER**Buyers are encouraged to seek information from professionals regarding any specific issue or concern.****SECTION V - ACCESS TO THE PROPERTY**Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/ASource of information: SELLERIs access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ UnknownIf No, who is responsible for maintenance? N/ARoad Association Name (if known): N/ASource of information: SELLER

Buyer Initials _____

Page 5 of 8

Seller Initials

Initial <u>JEB</u>	Initial <u>JHB</u>
-----------------------	-----------------------

PROPERTY LOCATED AT: 9 LAUREL ST., ELLSWORTH, ME 04605**SECTION VI – FLOOD HAZARD**

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AHave any flood events affected a structure on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AHas any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AHas there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, indicate the dates of each claim: N/AHas there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ UnknownIf Yes, indicate the date of each payment: N/AIs the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

N/ARelevant Panel Number: N/A Year: N/A (Attach a copy)Comments: FEMA Flood Map 23009C0766D eff. 7/20/2016Source of Section VI information: SELLER & FEMA Flood Map

Buyer Initials _____

Page 6 of 8

Seller Initials

Initial
JEBInitial
JAB

PROPERTY LOCATED AT: **9 LAUREL ST., ELLSWORTH, ME 04605****SECTION VII - GENERAL INFORMATION**

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
 ☒ Yes ☐ No ☐ Unknown

If Yes, explain: **HOMESTEAD EXEMPTION**Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **N/A**Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: **PROPANE TANK - NO FRILLS**Year Principal Structure Built: **1900's** What year did Seller acquire property? **1995**Roof: Year Shingles/Other Installed: **20 +/- YRS**Water, moisture or leakage: **NO**Comments: **NONE**

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ UnknownWater, moisture or leakage since you owned the property: ☒ Yes ☐ No ☐ UnknownPrior water, moisture or leakage? ☒ Yes ☐ No ☐ UnknownComments: **FLOOR DRAIN**Mold: Has the property ever been tested for mold? ☒ Yes ☐ No ☐ UnknownIf Yes, are test results available? ☐ Yes ☒ NoComments: **THE ATTIC CEILING & RAFTERS CLEANED & GABLE END VENTS OPENED UP FOR MORE AIR FLOW**Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ UnknownComments: **NONE**Has all or a portion of the property been surveyed? ☐ Yes ☐ No ☒ UnknownIf Yes, is the survey available? ☐ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ UnknownModular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☒ No ☐ UnknownComments: **BOUNDARY LINES HAVE MARKERS**

Buyer Initials _____

Page 7 of 8

Seller Initials Initial Initial
JEB JAB

PROPERTY LOCATED AT: 9 LAUREL ST., ELLSWORTH, ME 04605

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: KNONW KNOWN

Comments: NONE

Source of Section VII information: SELLER

SECTION VIII - ADDITIONAL INFORMATION

SOMETIME IN THE MID 1980'S THERE WAS A FIRE WITH EVIDENCE IN THE ATTIC. THE SELLER INSTALLED NEW ROOF RAFTERS APPROX. 20 +/- YRS AGO.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.


Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by:

SELLER E0C43538-CA75-8C9B-82FA-B23D68829F36
JAMES E. BARKHOUSE

 SELLER DATE

Signed by:

SELLER E0C43538-CA75-8C9B-82FA-B23D68829F36
JOHNA H. BARKHOUSE

 SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

 BUYER DATE

 BUYER DATE

 BUYER DATE

 BUYER DATE

