

**Robert Vile**  
Licensed Site Evaluator  
Certified Soil Scientist

PO Box 114, Cates Road  
Dixmont, Maine 04932

Telephone  
(207)234-2451

**PRELIMINARY SOIL INVESTIGATION REPORT**

Date: August 12, 2022

Applicant : Greg Westra  
19610 Gunpowder Rd.  
Manchester, MD. 21102

Land Description: Lot #2 Acadia Northwoods

Size of Lot: +-2 Acs.

Road: Seawall Rd.

Owner: Greg Westra

Town: Southwest Harbor

Purpose: To identify soils on the property as defined by the State of Maine Subsurface Wastewater Disposal Rules.

Date of investigation: 8-11-22

Method of investigation:

Hand Auger ( )

Test Pit ( X )

Method of ground control: Test pit to be located by Land Surveyor.

Findings:

- 1) ( X ) Suitable Soils      ( ) No Suitable Soils
- 2) Soils Identified : 2AIII with a 15" limiting factor.
- 3) Location of Soil Test : See attached subdivision map.

Recommended disposal area for a three bedroom home: 21 GSF B43 module Eljen In-Drain cluster.

All permits and or notifications required prior to construction are the responsibility of the owner. If I can assist in the septic system design or you have any other questions regarding the investigation please feel free to contact me at the above number.

  
Robert G. Vile Jr.

Lic. #S204

8-12-22

Date